

KB SECURE SOLUTIONS













Workshop & Maintenance







www.kbsecure.co.uk

sales@kbsecure.co.uk

01442 216866


Workshop Equipment

See pages 1-6









Mobile Workshop Equipment

See pages 7-12









Sigma & Kappa Stools

See pages 13-21





Louvre Panels & Trolleys

See pages 22-23



Shelving & Linbins

See pages 24-25



Small Parts Storage

See pages 26-28





Euroslide

See pages 29-35





WFI Trolleys

See pages 36-41





Workshop Maintenance

See page 42






Teng Tools

See pages 43-49

WORKSHOP EQUIPMENT - SYSTEM FLOW TROLLEYS



System Flow Trolley



Perforated Panel



Louvre Panel



COLOUR OPTIONS

- Red
- Green
- Blue
- Grey
- Light Grey

specify when ordering

manufactured



Shelf

1 - Choose your Trolley

Description	Overall Size H x W mm	Model	
Static	1520 x 680	RTSYF1668U*X	
Static	1520 x 1000	RTSYF1610U*X	
Mobile	1650 x 680	RTSYF1668M*X	
Mobile	1650 x 1000	RTSYF1610M*X	

2 - Choose your Accessories

Description	Size H x W x D mm	Model	
Perforated Panel	910 x 630 x 60	RTPERF12*XX	
Perforated Panel	910 x 930 x 60	RTPERF16*XX	
Louvred Panel	910 x 630 x 60	RTLOVR12*XX	
Louvred Panel	910 x 930 x 60	RTLOVR16*XX	
Shelf	20 x 600 x 350	RTSHLU80LXX	
Shelf	20 x 900 x 350	RTSHLU10LXX	

WORKSHOP EQUIPMENT - WORKSHOP WALLS



Tool Storage System

The original Total Storage System provides
space-saving & efficient tool & spare parts storage

It requires only 2 sqm of floor space but provides 16 sqm of storage area

Can be equipped with all M750 accessories. Please call for details

There is no need to fasten it to the floor, as it stands firmly on its own

There is a wheel on the lower edge of the panels which makes them easy to move

The load capacity is 100 kg/panel
A maximum of 10 panels can be fastened to the tool storage system

Available in two colours; grey or blue. Blue comes as standard
but if you require grey please change the 07 to 35 in the model code

20 piece hook set includes:
5 x 50mmstraight hooks, 5 x 33mm double hooks,
5 x 19mm spring hooks & 5 x 35mm angle hook

45 piece hook set includes:
5 x 30mmstraight hooks, 5 x 50mm straight hooks, 5 x 33mm double hooks,
5 x 19mm spring hooks, 5 x 22mm spring hooks, 1 x 220mm tool holder,
1 x 80mm tube, 5 x 35mm angle hook, 1 x 90mm cup, 5 x 60mm tool hooks,
5 x 35mm plier hooks, 1 x 60mm round hook & 1 x 238mm tool holder

Description	Overall Size D x W x H mm	Model	
Tool Storage System with 4 Panels	1025 x 1035 x 2125	83051807	
Additional Panel	15 x 949 x 1976	83068207	
20 Piece Hook Set	-	85500151	
45 Piece Hook Set	-	85500251	

Industrial Screens

Modular industrial screens when used with the hook sets illustrated, provide
space-saving & efficient tool & spare parts storage

Can be equipped with all M750 accessories. Please call for details

Industrial screens can also be used as space dividers

They also provide noise insulation; the combinations available have
perforated back panels on both sides & one side is insulated

Each section includes 6 perforated back panels,
3 pcs/side & the standard section includes two feet

The extension section includes one foot

Available in two colours; grey or blue. Blue comes as standard but if you
require grey please change the 07 to 35 in the model code.

You can mix & match the colours. Please call for details









Description	Overall Size W x D x H mm	Model	
Standard Industrial Screen - 'T' Foot	780 x 560 x 1850	C52007101	
Extension Industrial Screen - 'T' Foot	750 x 560 x 1850	C52007102	
Extension Industrial Screen - 'L' Foot	750 x 310 x 1850	C52007103	
Extension Industrial Screen - 'I' Foot	750 x 60 x 1850	C52007104	

WORKSHOP EQUIPMENT - WORKSHOP WALLS


Tool Storage System Accessories



Hook R1



Hook R2



Perforated Panels



Hook R3


Hook R10



Hook R13


Hook R19


Hook R21


Hook R24


Hook R29


Hook R30


Hook R35


Hook R37

Description	*Pack Size*	*Length mm*	*Dia. mm*	*Gap mm*	*Max Load kg*	*Model*
Perforated Panel - 454W x 988H mm						*837 369-07*
Perforated Panel - 949W x 988H mm						*837 334-07*
Perforated Panel - 949W x 1444H mm						*837 342-07*
Perforated Panel - 949W x 1976H mm						*837 350-07*
Hook R1	*5*	*30*	*3*	*-*	*10*	*853207-51*
	5	*50*	*4*	*-*	*10*	*853208-51*
	5	*50*	*6*	*-*	*10*	*853241-51*
	5	*80*	*6*	*-*	*10*	*853209-51*
	5	*100*	*4*	*-*	*8*	*853210-51*
	5	*100*	*6*	*-*	*10*	*853211-51*
	5	*150*	*4*	*-*	*4*	*853212-51*
	5	*150*	*6*	*-*	*10*	*853213-51*
	5	*200*	*4*	*-*	*2*	*853214-51*
	5	*200*	*6*	*-*	*6*	*853215-51*
	5	*300*	*6*	*-*	*3*	*853216-51*
	5	*300*	*8*	*-*	*8*	*853217-51*
Hook R2	*5*	*33*	*3*	*17*	*10*	*853218-51*
	5	*43*	*4*	*25*	*10*	*853219-51*
	5	*43*	*4*	*40*	*10*	*853220-51*
	5	*100*	*6*	*25*	*10*	*853221-51*
	5	*150*	*4*	*16.5*	*6*	*853222-51*
	5	*150*	*6*	*25*	*10*	*853223-51*
	5	*200*	*6*	*25*	*10*	*853224-51*

Description	Pack Size	Length mm	Dia. mm	Gap mm	Max Load kg	Model
Hook R3	5	10	6	-	10	853225-51
	5	50	6	-	10	853226-51
Hook R10	5	28	-	9	10	853227-51
	5	33	-	17	10	853228-51
Hook R13	5	157	3		1	853229-51
Hook R19	5	13	-	-	-	853231-51
	5	19	-	-	-	853232-51
	5	22	-	-	-	853233-51
Hook R21	1	220	-	-	-	831646-51
Hook R24	1	65	17	-	-	831700-51
	1	80	26	-	-	831719-51
	1	100	42	-	-	853167-51
Hook R29	5	40	-	-	5	853234-51
	5	60	-	-	5	853235-51
	5	80	-	-	5	853236-51
Hook R30	5	35	4	-	-	853237-51
	5	85	6	-	-	853238-51
Hook R35	5	17	-	35	-	853239-51
	5	17	-	55	-	853240-51
Hook R37	1	-	40	-	10	831433-51
	1	-	60	-	10	831441-51
	1	-	80	-	10	831603-51

WORKSHOP EQUIPMENT - WORKSHOP CUPBOARDS

Kitted Cupboard

Welded steel construction with lockable, re-inforced doors

Galvanised steel shelves with 60kg U.D.L. capacity

Roller bearing drawers with 60kg U.D.L. capacity & 100% extension

Internal panel options in perfo & louvre styles

Powder coated RAL5010 blue & RAL7035 grey finish

10 YR GUARANTEE

Overall Size H x W x D mm	Back Panels	Drawer Sizes mm	No of Worktops	No of Shelves	Model	
2000 x 1050 x 550	Perfo / Louvre	1 x 100, 1 x 125 & 1 x 175	1	1	16926572.11	
2000 x 1050 x 550	Perfo / Louvre	4 x 125 & 2 x 175	1	-	16926573.11	
2000 x 1050 x 550	-	2 x 125	-	4	16926574.11	
2000 x 1050 x 550	-	1 x 100, 2 x 125 & 1 x 175	-	3	16926576.11	



16926572.11

Accessories

Description	Model	
100mm Drawer Kit	16926966.11	
125mm Drawer Kit	16926967.11	
175mm Drawer Kit	16926968.11	
Galvanised Steel Shelf Kit	16926918.51	
Wooden Shelf / Worktop Kit	16926919	
11pc hook kit	14030064	
15pc hook kit	14031411	
32pc hook kit	13031070	
40pc bin kit	13021008	



16926573.11



16926574.11



16926576.11


WORKSHOP EQUIPMENT - WORKSHOP CUPBOARDS

Perfo Panels

Manufactured to withstand the most rigorous conditions, giving a long service life

The fully flanged metal panels are reinforced with channel backstrips & fixing points

All hooks lock into the panel with the perfo locking clip, positioned quickly but securely



Overall Size W x H mm	Model	
495 x 457	140 25 115.11	
990 x 457	140 25 117.11	
1486 x 457	140 25 118.11	

Perfo Wall Cupboard


Sturdy lockable wall cabinets for secure storage

Fully welded construction with a perforated back

The double skinned doors provide extra storage area & are secured by 2-point locking

Cupboards are 800W x 325D x 700H mm

Hooks & accessories not included



Description	Model	
Cupboard only (empty)	40031060.11v	

Hook



Length	Model	
25 mm	140 01 102	
50 mm	140 01 098	
75 mm	140 01 104	
100 mm	140 01 147	
150 mm	140 01 148	

Double Tool Hook



Length	Model	
25 mm	140 02 037	
50 mm	140 02 039	
75 mm	140 02 041	
100 mm	140 02 064	
150 mm	140 02 043	

Bin Storage Strip




Length	Model	
100 mm	140 14 043.16	
450 mm	140 14 044.16	
900 mm	140 14 045.16	

Shelf




W x D mm	Model	
450 x 170	140 14 034.16	
900 x 170	140 14 006.16	
450 x 250	140 14 031.16	
900 x 250	140 14 007.16	

Saw Holder




Length	Model	
125 mm	140 19 003	

Spanner Holder




Model	
140 17 002	

Screwdriver Holder



Width	Model
225 mm	140 19 007

Power Tool Loop



ø	Model	
40 mm	140 11 016	
60 mm	140 11 018	
80 mm	140 11 020	

Single Spring Clip



ø	Model	
6 mm	140 13 059	
10 mm	140 13 061	
13 mm	140 13 063	
16 mm	140 13 065	
19 mm	140 13 067	
25 mm	140 13 069	

Double Spring Clip



ø	Model	
2 x 6 mm	140 13 075	
2 x 10 mm	140 13 077	
2 x 13 mm	140 13 079	
2 x 16 mm	140 13 081	
2 x 19 mm	140 13 083	

U Holder




W x D	Model	
31 x 20 mm	140 10 015	
56 x 20 mm	140 10 017	
75 x 20 mm	140 10 019	
32 x 50 mm	140 10 032	
32 x 75 mm	140 10 033	
32 x 100 mm	140 10 034	

Pipe Brackets



W x ø mm	Model	
35 x 60	140 15 041	
35 x 100	140 15 042	
100 x 60	140 15 043	
100 x 100	140 15 044	

WORKSHOP EQUIPMENT - WORKSHOP CUPBOARDS



CYD189046461

manufactured

Storage Container Cupboards

These storage container cupboards can be used for a multitude of storage options

Louvre panels on the doors & carcass enables you to conveniently store containers close to hand

A weld & rivet construction provides all-round robustness, with reinforced doors & "No Snag'' handles with 2-point locking

75kg UDL capacity galvanised shelves

Overall size: 1800H x 900W x 460D mm

More containers available - please call for details



CYD189046BBX



CYD189046457



CYD189046151

Description	Container Sizes L x W x H mm	Model	
Cupboard	Size 2 - 165 x 100 x 75 Size 3 - 240 x 150 x 132 Size 4 - 350 x 205 x 132 Size 5 - 350 x 205 x 182 Size 6 - 375 x 420 x 182	CYD189046BBX	
Cupboard with 4 Shelves & 59 Containers (10 x Size 3, 8 x Size 5 & 41 Size 2)		CYD189046461	
Cupboard with 4 Shelves & 57 Containers (16 x Size 4 & 41 x Size 2)		CYD189046457	
Cupboard with 1 Shelf & 51 Containers (10 x Size 6 & 41 x Size 2)		CYD189046151	

Multi Storage Cupboards

The welded construction offers high strength & durability

1825H x 940W x 710D mm gives a very large storage capacity

The cupboards are available with a combination of accessories including drawer, shelves & perforated/louvre rear panels

Either with solid doors or vision doors which allow you to inspect the contents of cupboards

Each cupboard comes with adjustable feet for levelling

Drawers have a heavy duty slide system giving 100% extension & a capacity of 100kg UDL

Reaction to Fire Classification EN 13501-1

Description	Model	
Solid Door Cupboard	C6MSS181065X	
Vision Door Cupboard	C6MSV181065X	
Accessories		
100mm Deep Drawer	C6MSDRW100DX	
150mm Deep Drawer	C6MSDRW150DX	
200mm Deep Drawer	C6MSDRW200DX	
Tool Panel (tools not included)	C6MSTOOLPANX	
Square Louvre Panel	C6MSLOUVREPX	
Square Perforated Panel	C6MSDUALPANX	
Noticeboard Panel	C6MSNOTICEBX	
Shelf	C6MSSHELFXXX	



manufactured

C6MSV181065X, C6MSDRW100DX, 4 x C6MSDRW200DX, C6MSSHELFXXX, C6MSTOOLPANX & C6MSLOUVREPX (Tools/Containers not included)

MOBILE WORKSHOP EQUIPMENT



Tool Panel

· Model no: 85 99 00

L 990 x W 805 mm

1 shelf
1 panel
1 suspension rail
8 plastic boxes (fit into the rail)
25 hooks



Mobile Workbench

· Model no: 85 99 08

L 990 x W 595 x H 920 mm



Mobile Workbench

· Model no: 85 99 10

L 990 x W 595 x H 920 mm



Roundabout

· Model no: 80 14 20

Stable steel frame construction
with 5 sviwel castors, 2 with brake.

The 5 top drawers can be separately removed and
are all fitted with 6 removable boxes as standard.

H 1150 x Ø 470 mm



Mobile Workbench

· Model no: 85 99 06

L 990 x W 595 x H 920 mm

MOBILE WORKSHOP EQUIPMENT - BACK SUPPORT

Solutions for the mechanic to maintain a proper working position in areas difficult to get access to









Prestige Creeper

Model nr: 80 15 02

Especially good for jobs at larger machines or engines

The creeper has 4 cushions of PU-foam

Using two gas springs, the backrest can be variably adjusted from 5° to 75°

Furthermore, the neck rest can be adjusted

4 sviwel castors, 2 of them with brake. Removable tool tray.

L 1040 x W 445 x H 220 mm.



Global Creeper

Model nr: 80 15 06

A practical creeper, adding a lot of comfort to the work under a car

Solid steel frame with 5 sviwel castors, which follow all your moves

3 cushions of PU-foam are comfortable to lie on
and the neck rest can be adjusted so it fits you best



Lima Creeper

Model nr: 80 15 01

A functional help for the work under a car

Solid steel frame with oil-resistant rubber cover,
6 sviwel castors and neck rest.

L 990 x W 445 x H 100 mm



Back Support Aid

Model no: 80 15 04

Comfortable support for the work at those places
e.g. under the dash board which are difficult to access

Upholstered with strong immitation leather

Height-adjustable from 340 to 520mm.

MOBILE WORKSHOP EQUIPMENT - WORK TABLES



Global Mini

· Model no: 80 14 01

Table top: 500 x 350 mm

Frame construction: 700 mm

Height adjustment: 620 - 875 mm

Table top tilting angle: 0 - 40°

Lifting capacity: approx 25 kgs

Maximum load capacity: 100 kgs

75 mm sviwel castors, 2 of them with brakes

Easily adjustable mobile work table, which is suited for a lot of different tasks

Solid construction with 5 sviwel castors, 2 of them with brake

The table top is made of powderpainted steel and has a folded edge in one end



Supporting rubber mat
available as accessory



MOBILE WORKSHOP EQUIPMENT - WORK TABLES

Practical tables, very well suited for i.a. packing, sorting or mounting jobs
The tables are flexible in use, are easily moved and quickly adjusted in both height and tilting angle of table top.





Global Midi

· Model no: 80 14 03

Table top: 800 x 600 mm

Frame construction: 680 x 480 mm Height

adjustment: 730 - 980 mm

Table top tilting angle: 0° to 20°

Lifting capacity: approx 50 kgs

Maximum load capacity: 125 kgs

75 mm sviwel castors, 2 of them with brake

Global Maxi

· Model no: 80 14 02

Table top: 1150 x 750 mm

Frame construction: 720 x 600 mm

Height adjustment: 760 - 980 mm

Table top tilting angle: 0° to 20°

Lifting capacity: approx 50 kgs

Maximum load capacity: 125 kgs

75 mm sviwel castors, 2 of them with brakes

MOBILE WORKSHOP EQUIPMENT - PALLET TRUCKS

Hydraulic Lifting Trolley



Article	Max. Lifting Height	Min. Lifting Height	Weight	Load
6-220-5	720 mm	220 mm	46 kg	150 kg
6-222-5	880 mm	285 mm	78 kg	300 kg
6-224-5	1300 mm	355 mm	105 kg	350 kg
6-226-5	420 mm	285 mm	82 kg	500 kg







Lifting Table w. Crank

Article	Max. Lifting height	Min. Lifting height/	Wheels	Weight	Load
6-310-1	1020 mm	450 mm	Boggie/ Polyurethane	70 kg	300 kg

MOBILE WORKSHOP EQUIPMENT - ESD

ESD



Mechanic Chair ESD with Steel Base & Tray

Model no. 10 3 125 3 000

Seat height: 4 high

400 mm steel base with tray

75 easy rolling castors, 2 with brake

Upholstered with conducting ESD fabric

For Explanation of Seat Height
See Page 16



Work Table ESD

Model no.: 80 14 07

Easy to adjust

5 sviwel castors, 2 with brake

Table top 500 x 350 mm, 700 mm steelbase

Height adjustment 620 to 875 mm

Table top tilting angle: 0° to 40°

Lifting capacity approx. 25 kgs

Maximum load capacity 100 kgs



SIGMA & KAPPA STOOLS

SEAT HEIGHTS

Example
For every model, the seat height level is shown in the catalogue

For each seat height level, the table shows
which actual seat heights (in cm) can be obtained
depending on which size of gas spring is used

For instance, a chair with “seat height 1 - medium”
will have an actual seat height between 55 and 74 cm

Please note that some of the intervals overlap
Thus, it would be a good idea to find out if you want to
use your chair in different height positions

Whenever in doubt, you are welcome to contact our customer service,
who will be able to give you competent advice

Please also note that all our heights have a tolerance of +/- 2cm.



Foot Released Height Adjustment

All our stools and chairs can also be equipped with
a foot released height adjustment - which is particularly
useful when both hands are in use for working.

Seat-height group	High		Medium		Low		Extra low	
1	63	89	55	74	46	59	40	47
2	70	96	61	80	48	59	46	53
3	70	96	61	80	52	65	46	53
4	54	80	46	65	37	50	31	38
5	71	97	63	82	54	67	48	55
6	67	93	59	78	50	63	44	51
7	50	76	42	61	33	46	27	34
8	57	83	49	68	40	52	34	41
9	66	92	58	77	49	62	45	50
10	62	88	54	73	45	58	39	46
11	76	102	68	87	59	72	53	60

SIGMA STOOLS

Seat of moulded polyurethane foam; practical, easy to clean, with good seating comfort and very tough even in harsh environments.

Polyurethane furthermore has the feature of being sturdy and able to withstand several types of fluids and chemicals.

Seat diameter: 36 cm



Sigma - Stella

· Model no: 70 1 001 000

Seat height: 8 high

480 mm Stella base

For Explanation of Seat Height
See Page 13





Sigma - Spider

· Model no: 71 2 001 000

Seat height: 10 medium

430 mm Spider base

SIGMA STOOLS



Sigma- Octopus

· Model no: 30 1 001 0 0 000

Seat height: 4 high

440 mm Octopus base



Sigma - Trumpet

· Model no: 42 1 001 0 000

Seat height: 7 high

400 mm Trumpet base



Sigma - Octopus w / Castors

· Model no: 30 2 001 9 0 000

Seat height: 10 medium

440 mm Octopus base

65 mm easy rolling castors



Sigma - Alu50

· Model no: 40 2 001 2 000

Seat height: 4 medium

500 mm Alu 50 base

50 mm easy rolling castors

For Explanation of Seat Height
See Page 13

SIGMA STOOLS

Sigma 480RS



· Model no: 11 1 001 1 000 0

Seat height: 4 high

480 mm steel base with footring

75 mm easy rolling castors, two with brake

Sigma 400RS



· Model no: 10 3 001 1 000

Seat height: 4 low

400 mm steel base with footring

75 mm easy rolling castors, two with brake

For Explanation of Seat Height See Page 13

SIGMA 400S with Tray



· Model no: 10 3 001 2 000

Seat height: 4 low

400 mm steel base with tray

75 mm easy rolling castors, two with brake

Sigma 480RS with Tray



· Model no: 11 1 001 2 000 0

Seat height: 4 high

480 mm steel base with footring and tray

75 mm easy rolling castors, two with brake

SIGMA STOOLS

For Explanation of Seat Height
See Page 13

Sigma 400P



· Model no: 20 3 001 1 000

Seat height: 4 low

400 mm shock proof nylon base incl. 2 tool boxes

75 mm easy rolling castors, two with brake

Sigma 480RS with 2 trays



· Model no: 11 1 001 2 000 1

Seat height: 4 high

480 mm steel base with footring and 2 trays

75 mm easy rolling castors, two with brake

Accessories

Back rest



Oval plastic



Oval soft, PU



Oval upholstered



XL plastic

Footring / Base Footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



75 mm twin castor



75 mm sviwel castor



10 mm Glides
25 mm Glides
30 mm Glides

Base Colours / Toolboxes







KAPPA STOOLS

Seat of plastic; sturdy and very well suited for e.g. welding jobs or in other extreme surroundings

Seat diameter: 36 cm



Kappa - Stella

· Model no: 70 1 002 000

Seat height: 8 high

480 mm Stella base



Kappa - Spider

· Model no: 71 2 002 000

Seat height: 10 medium

430 mm Spider base

For Explanation of Seat Height
See Page 13



KAPPA STOOLS



Kappa - Octopus

· Model no: 30 1 002 0 0 000

Seat height: 4 high

· 440 mm Octopus base



Kappa - Octopus w/castors

· Model no: 30 2 002 9 0 000

· Seat height: 6 medium

· 440 mm Octopus base

· 65 mm easy rolling castors

For Explanation of Seat Height
See Page 13



Kappa - Alu50

· Model no: 40 2 002 2 000

Seat height: 12 medium

500 mm Alu 50 base

50 mm easy rolling castors



Kappa - Trumpet

· Model no: 42 1 002 0 000

Seat height: 9 high

400 mm Trumpet base

KAPPA STOOLS

Kappa 480RS



· Model no: 11 1 002 1 000 0

Seat height: 4 high

480 mm steel base with footring

75 mm easy rolling castors, two with brake

Kappa 400RS



· Model no: 10 3 002 1 000

Seat height: 4 low

400 mm steel base with footring

75 mm easy rolling castors, two with brake

For Explanation of Seat Height
See Page 13

Kappa 400S with tray



· Model no: 10 3 002 2 000

Seat height: 4 low

400 mm steel base with tray

75 mm easy rolling castors, two with brake

Kappa 480RS with tray



· Model no: 11 1 002 2 000

Seat height: 4 high

480 mm steel base with footring and tray

75 mm easy rolling castors, two with brake

KAPPA STOOLS

For Explanation of Seat Height
See Page 13

Kappa 400P



· Model no: 20 3 002 1 000

Seat height: 4 low

400 mm shock proof nylon base incl. 2 tool boxes

75 mm easy rolling castors, two with brake

Kappa 480RS with 2 trays



· Model no: 11 1 002 2 000 1

Seat height: 4 high

480 mm steel base with footring and 2 trays

75 mm easy rolling castors, two with brake

Accessories

Back rest



Oval plastic



Oval soft, PU



Oval upholstered



XL plastic

Footring / Base Footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



75 mm twin castor



75 mm sviwel castor



10 mm Glides
25 mm Glides
30 mm Glides

Base Colours / Toolboxes







LOUVRE TROLLEYS & LINBINS

Essential Product Details

Freestanding for easy and flexibility of use

Strong and durable all steel panel and base

Finished with grey epoxy powder coated painted panels and powder coated blue stands

Comes with 2 braked castors as standard

Available as a double sided unit

Different number of LINBIN combinations of size and colour

Easy To Us For

Moving stock to and from production lines

Mobile picking areas

Additional capacity alongside a workbench

Temporary storage locations



A heavy duty framed trolley completed with 2 braked rubber castors as standard



EMPTY TROLLEYS

Code	Height	Width	Depth	LBUC	Panel Size	
VTRP1000	1100mm	1060mm	600mm	136	Panel Size H900mm x W1012mm	
VTRP1400	1600mm	1560mm	600mm	344	Panel Size H1400mm x W1512mm	

LOUVRE PANEL TROLLEY WITH 72 LINBINS

Code	Number of Linbins	Linbin Sizes		
VTRPKABLK	72	2, 3, 4, 8		
VTRPKABL	72	2, 3, 4, 8		
VTRPKAGR	72	2, 3, 4, 8		
VTRPKACOL	72	2, 3, 4, 8		



LOUVRE PANEL TROLLEY WITH 80 LINBINS

Code	Number of Linbins	Linbin Sizes	Colour	
VTRPKBBLK	80	2, 4		
VTRPKBBL	80	2, 4		
VTRPKBGR	80	2, 4		
VTRPKBCOL	80	2, 4		

FREESTANDING LOUVRE PANELS



Free standing louvre panels are available in single or double sided units.

An initial unit can be extended by simply bolting on an additional ‘add bay’ panel.

LINBINS of varying sizes and colours can be added

Freestanding for easy and flexibility of use

Strong and durable quality with grey epoxy powder coated paint

Fixing holes means they can be quickly and easily interlinked for a continuous run

Grey louvre panel and blue feet



VSTRPKABL



VSTRPKABLK



VSTRPKACOL



VSTRPKAGR

SINGLE SIDED FREESTANDING LOUVRE PANELS WITH LINBINS

Order Code	Height	Width	Depth	No. of Linbins	Linbin sizes	Panel Size	Colour
VSTRPKABLK	1900mm	1065mm	540mm	40	2, 5, 6, 8	Panel Size H1800mm x W1012mm	
VSTRPKABL	1900mm	1065mm	540mm	40	2, 5, 6, 8	Panel Size H1800mm x W1012mm	
VSTRPKACOL	1900mm	1065mm	540mm	40	2, 5, 6, 8	Panel Size H1800mm x W1012mm	
VSTRPKAGR	1900mm	1065mm	540mm	40	2, 5, 6, 8	Panel Size H1800mm x W1012mm	

BUILD YOUR OWN

STARTER BAYS

Order Code	Type	Height	Width	Depth	LBUC	Panel Size
VSSR1410I	Single	1500mm	1100mm	540mm	135	Panel Size H1400mm x W1012mm
VSSR1810I	Single	1900mm	1100mm	540mm	153	Panel Size H1800mm x W1012mm
VDSR1410I	Double	1500mm	1100mm	770mm	270	Panel Size H1400mm x W1012mm
VDSR1810I	Double	1900mm	1100mm	770mm	306	Panel Size H1800mm x W1012mm

ADD BAYS

Order Code	Type	Height	Width	Depth	LBUC	Panel Size
VSSR1410A	Single	1500mm	1065mm	540mm	135	Panel Size H1400mm x W1012mm
VSSR1810A	Single	1900mm	1065mm	540mm	153	Panel Size H1800mm x W1012mm
VDSR1410A	Double	1500mm	1065mm	770mm	270	Panel Size H1400mm x W1012mm
VDSR1810A	Double	1900mm	1065mm	770mm	306	Panel Size H1800mm x W1012mm

ECONOMY SHELVING & LINBINS

Quick and Easy to Install for Small Item Storage

A boltless shelving system that is easily built by tapping together with a mallet

This cost effective shelving solution comes complete with recycled **LINBINS**

It is ideal for storerooms, offices, retail areas, garages and in schools

Key Details

15mm chipboard shelves

150kg UDL per shelf (uniformly distributed load)

Comes with Size 5 LINBINS (H130mm x W140mm x D280mm)



RECYCLED LINBIN



36 LINBINS



72 LINBINS

Order Code	Height	Width	Depth	
VBLK1BLK	1830mm	900mm	300mm	
VBLK2BLK	915mm	900mm	300mm	

INDUSTRIAL SHELVING & LINBINS

Standard Duty Shelving & Linbins

Our Standard Duty adjustable shelving is built and designed in our factories in the UK

Easy to build boltless assembly with Grey Industrial Linbins - simply tapped together with a mallet

It's strong too; each shelf can take up to 360kg UDL (uniformly distributed load)

Open all sides gives unrestricted access

Key Details

18mm FSC certified chipboard shelves for additional strength

Steel feet for floor fixing and protection

Up to 360kg UDL per shelf (uniformly distributed load)

Comes with Size 7 LINBINS (H180mm x W210mm x D375mm)



40 LINBINS



50 LINBINS



70 LINBINS



GREY INDUSTRIAL LINBIN

Order Code	Height	Width	Depth	No. of Linbins	
VSLK1GR	1980mm	900mm	450mm	40	
VSLK2GR	1980mm	1200mm	450mm	50	
VSLK3GR	1980mm	1500mm	450mm	70	

SMALL PARTS STORAGE

CLEAR PLASTIC BIN CABINETS

A very cost effective way of storing small components

Made in high quality 'impact proof' polypropylene

Having the versatility to be hung on a wall, mounted on a turntable or on a stand or trolley


Fast Delivery

290mm Height





550mm Height



CLEAR PLASTIC BIN CABINET TURNTABLES

Needing only 0.25 square metres of floorspace, this free-turning assembly holds twelve 550 Series Visible Storage Cabinets in three layers

Each layer contains four cabinets

Stores up to 4320 different items

400kg Load; Ball bearing base;

Easy assembly. No tools required

Code	Type	Height	Width	Depth	
V12-550	Empty	1730mm	500mm	500mm	



STANDARD CLEAR PLASTIC BIN CABINETS

These versatile cabinets can be used as free standing units, hung on walls or mounted on a space saving turntable, stands or trolley

Grey frame and galvanized steel shelves; with crystal clear drawers

Handles recessed for protection in transport

All cabinets have the same width and depth dimensions: W310mm x D180mm

Code	Type	Height	Internal Drawer Dimensions (mm)	
V296-3	4 Drawer	290mm	H59 x W277x D175	
V297-3	6 Drawer	290mm	H81 x W138 x D175	
V292-3	12 Drawer	290mm	H37 x W138 x D175	
V294-3	12 Drawer	290mm	H59 x W92 x D175	
V290C-3	16 Mixed Drawer	290mm	*Mixed compartment	
V291-3	24 Drawer	290mm	H37 x W69 x D175	
V290-3	30 Drawer	290mm	H37 x W55 x D175	
V556-3	8 Drawer	550mm	H59 x W277 x D175	
V557-3	12 Drawer	550mm	H81 x W138 x D175	
V552-3	24 Drawer	550mm	H37 x W138 x D175	
V554-3	24 Drawer	550mm	H59 x W92 x D175	
V550C-3	32 Mixed Drawer	550mm	*Mixed compartment	
V551-3	48 Drawer	550mm	H37 x W69 x D175	
V550-3	60 Drawer	550mm	H37 x W55 x D175	

*Mixed compartments for 290mm height cabinets - 12 no. H37 x W59 x D175mm, 3 no. H59 x W92 x D175mm, 1 no. H59 x W277 x D175mm
*Mixed compartments for 550mm height cabinets - 24 no. H37 x W59 x D175mm, 6 no. H59 x W92 x D175mm, 2 no. H59 x W277 x D175mm

CLEAR PLASTIC BIN CABINET DRAWER DIVIDERS

Clear plastic cross dividers for drawers.

Code	Height	Width	Quantity	Type	
VV-00	32mm	47mm	200	For use with: H37 x W55 x D175 Drawers	
VV-01	32mm	61mm	150	For use with: H37 x W69 x D175 Drawers	
VV-02	32mm	128mm	100	For use with: H37 x W138 x D175Drawers	
VV-04	55mm	82mm	100	For use with: H59 x W92 x D175 Drawers	
VV-06	55mm	266mm	50	For use with: H59 x W277 x D175 Drawers	
VV-07	74mm	128mm	50	For use with: H81 x W138 x D175 Drawers	



CLEAR PLASTIC BIN CABINET STANDS

Stylish design steel framed stand

Can be used with any combination of 550mm cabinets

Single stand holds four cabinets, double holds eight

Epoxy Powder coated steel frame

Code	Type	Height	Width	Depth	
VBS550L	Single Stand	1585mm	760mm	420mm	
VBS550T	Double Stand	1585mm	760mm	600mm	
VBT550	Double Trolley	1700mm	760mm	600mm	

Please note: Cabinets ordered separately

SMALL PARTS STORAGE

STEEL BIN CABINETS

Storage bin cabinets provide flexible and practical storage for workshops, stores, manufacturing facilities and warehouses

Cabinets can be hung on the wall with screws, stacked on top of each other or mounted on turntables

These steel bin cabinets include a frame, bins, labels and protective shields

Backstops hold the bins when fully extended

The sturdy steel frame has a durable powder-coat finish





STEEL BIN CABINETS

300 & 400mm depth bin cabinets
with 8 or 16 bins within a steel frame

Code	Type	Height	Width	Depth	External Bin Size (mm)	
V0830--	8 Bins	395mm	400mm	300mm	H82 x W186 x D300	
V0840--	8 Bins	395mm	400mm	400mm	H82 x W186 x D400	
V1630--	16 Bins	395mm	400mm	300mm	H82 x W92 x D300	
V1640--	16 Bins	395mm	400mm	400mm	H82 x W92 x D400	

6 3 5 1

Please replace last dash with a single number suffix for colour when ordering, e.g V0830-3



STEEL BIN CABINET DRAWER DIVIDERS

Cross dividers subdivide and segregate drawers

300mm Range hold up to 4 per bin
and 400mm Range hold up to 6 per bin

Code	Quantity	Height	Width	
VD-10	100	70mm	75mm	
VD-20	50	70mm	167mm	



STEEL BIN CABINET RETAINING BARS

Retaining bars for storage bin cabinets

Set of 4

Allows storage bin cabinet to be used in vehicles

Supplied flat packed

Code	Height	Width	
V-A400	80mm	400mm	



STEEL BIN CABINET TURNTABLES

Compact 1680mm high steel bin cabinet turntables for use in service, workshop, production and storage areas

Units hold 16 cabinets of 400mm depth

Ball bearing base and dividers for 4 layers with each layer containing 4 cabinets

Turntable KIT's: Include 8 x 8 drawer and 8 x 16 drawer cabinets

800kg Load

Code	Type	Width	Depth	
V16-300	Empty Turntable for 300mm Steel Bin Cabinets	700mm	700mm	
V16-400	Empty Turntable for 400mm Steel Bin Cabinets	800mm	800mm	

SMALL PARTS STORAGE



TILT BINS

Allows for easy access and fast picking and of course quick replenishment

They can be used on desks, counters, shelving and workbenches

The bins come with identification cards and the bins tilts in excess of 40 degrees

TILT BIN CABINETS

The ultimate visible storage method. Tilt bins allow stock to be seen, easily accessed and quickly replenished

Tilt Bins are robust and scratch resistant and easily removed for transport and cleaning

Each unit is housed in a 600mm wide outer casing module

Stackable for use on desks, counters, shelving or workbenches

The tilt bins have fixing holes for wall mounting

Identification cards for the individual tilt bins are included

Code	Type	Height	Width	Depth	*Capacity	
VSTVB9	Size 9 - 9 sections	75mm	601mm	51mm	0.1L	
VSTVB6	Size 6 - 6 sections	110mm	601mm	75mm	0.36L	
VSTVB5	Size 5 - 5 sections	160mm	601mm	110mm	1.05L	
VSTVB4	Size 4 - 4 sections	208mm	601mm	137mm	2.11L	
VSTVB3	Size 3 - 3 sections	243mm	601mm	163mm	4.15L	
VSTVB2	Size 2 - 2 sections	354mm	601mm	246mm	14L	

*Capacity is for individual bins





DOUBLE SIDED TILT BIN CABINET TROLLEYS

Simple to assemble steel trolley
with a maximum load capacity of 80kg each side

Trolley includes:
4 x Size 6 Bins (24 compartments)
2 x Size 5 Bins (10 compartments)
2 x Size 4 Bins (8 compartments)
2 x Size 3 Bins (6 compartments)
2 x Size 2 Bins (4 compartments)

Code	Height	Width	Depth	
VTVB1	1380mm	620mm	600mm	



RETAINING BARS FOR TILT BINS

Our retaining bars are manufactured from strong metal rods and keep boxes securely closed, especially good for when transporting product.

Ideal for vans or mobile trolleys

Easily fitted to any casing set

Code	Type	
VRTB326	For Size 3 - 6 Bins	
VRTB009	For Size 9 Bins	

EUROSLIDE CABINETS



Euroslide cabinets offer a versatile method of storage

They are ideal for many individual applications, such as schools, universities and museumS

Specially designed cabinets with high load bearing drawers

Suitable for storing heavy tools and equipment safely and securely in industrial and workshop environments

Full width, precision ball race slides with anti-tilt feature

Load capacity of 100kg per drawer

100% drawer extension on 650 deep cabinets, and 90% drawer extension on 750 deep cabinets

Central locking for extra security

Cupboard doors are fitted with interior perforated panel to fit tool clips

A range of drawer divider kits and extra shelves are available

All steel construction

Beech, Laminate and Tool Tray worktop options are available

Cabinets are available in widths of 600mm & 900mm, and heights of 825mm & 1200mm



See Separate Brochure
for All Euroslide Products Available



EUROSLIDE TROLLEYS



Euroslide trolleys are available with a range of worktop options including Beech, Laminate, Steel and Sloping Top

Fitted with 2 fixed and 2 swivel braked, 5 inch blue resilex castors

Load capacity of 100kg per drawer

Cupboard doors are fitted with perforated panel to fit tool clips

Full width, full expansion precision ball race slides with safety anti-tilt feature

All trolleys have a width of 1270mm and a height of 960mm

MOBILE EUROSLIDE CABINETS





See Separate Brochure
for All Euroslide Products Available





SYSTEM TEK



See Separate Brochure
for All Euroslide Products Available



Kits are available

Each kit comes complete with the following accessories:

Worktop and Post fitted service ducts

Perforated Back Panel

Rear Support Posts

Upper Shelf

Tool Rail







SYSTEM FLOW TROLLEYS

TOOL TROLLEY

Designed to provide high capacity storage especially suitable for hand tools

Pegboard panels are used with steel accessories
and suited for easily accessible tool storage

Quick and easy identification of storage position or missing tools

2 x 75mm Nylon swivel castors and 2 x 75 Nylon swivel castors with brakes

Made from 60 x 40 x 1.5mm ERW tube

Channel made from 1.5mm mild steel

Pegboard back panel made from 1.2mm mild steel

Pegboard available 500mm and 750mm wide

Adjustable bin rails made from 50 x 25 x 1.5 mild steel

See Separate Brochure
for All Euroslide Products Available



IT TIT TROLLEYOLLEY

Designed to provide an all-in-one storage solution for workplace IT equipment

The design integrates a sliding drawer for keyboard storage
and a V.D.U mount bracket to hold a monitor

The lower half of the IT trolley provides tool storage and a large lockable drawer

Keyboard shelf made from 1.2 mild steel on telescopic slides

V.D.U mount bracket to support monitor

2 x 75mm Nylon swivel castors and 2 x 75mm Nylon swivel castors with brakes

Made from 60 x 40 x 1.5mm ERW tube

Shelves and channels made from 1.5mm mild steel

Holes are supplied on the outside of both vertical frames
to enable the trolley to carry a 400mm service duct if required


Additional base tray and service ducts sold separately





IT Trolley comes with Keyboard Shelf, Top Shelf
and Monitor Holder as standard

SYSTEM FLOW TROLLEYS



Shelf & Panel Trolley shown with Adjustable Bin Rails, Plastic Containers and Extra Shelves, sold separately.

SHELF & PANEL TROLLEYS

2 x 75mm Nylon swivel castors and 2 x75mm Nylon swivel castors with brakes

Made from 60mm x 40mm x 1.5mm ERW tube

Channel made from 1.5mm mild steel

Magnetic back panel made from 1.2mm mild steel, available 500mm and 750mm wide

Adjustable bin rails made from 50mm x 25mm x 1.5mm mild steel

Shelves are adjustable and can be positioned either flat or at an angle



See Separate Brochure
for All Euroslide Products Available



TILITING SHELF TROLLEY

2 x 75mm Nylon swivel castors and 2 x 75mm

Nylon swivel castors with brakes

Made from 60mm x 40mm x 1.5mm ERW tube

Shelves and channels made from 1.5mm mild steel

Shelves are able to be tilted towards the front with the use of a quick release lever

Shelves supplied 500mm x 500mm or 750mm x 500mm

Holes are supplied on the outside of both vertical frames
to enable the trolley to carry a 400mm service duct if required

Additional shelves can be positioned at increments of 100mm

Additional base tray and service ducts sold separately



Tilting Shelf Trolley shown with accessories, sold separately.

EUROSLIDE WORKBENCHES



Heavy duty bench suitable for heavy duty applications such as engineering and manufacturing

All steel construction

Beech and Laminate worktop options available

Workbenches are available in 1200mm, 1500mm and 1800mm widths

Full width, full extension precision ball race slides with anti-tilt feature

Central locking for extra security

Load capacity of 100kg per drawer

Cupboard doors are fitted with interior perforated panel to fit tool clips

A range of drawer divider kits and extra shelves are available

Full range of above bench accessories are available

EUROSLIDE

See Separate Brochure
for All Euroslide Products Available

EUROSLIDE SUPERBENCHES

1200KG
SWL EVENLY DISTRIBUTED



Euroslide Superbench shown with optional accessories.

A range of drawer divider kits and extra shelves are available

Fully welded framework, 50mm x 50mm and 50mm x 25mm section

Above bench accessories are also available

High quality workbench, fully welded for extra strength

Tough Light Grey powder coated finish

Various worktop surfaces including Beech, Laminate, Linoleum and steel top

EUROSLIDE FIT OUT & INSTALLATION



Euroslide cabinets shown in use at Eurotech Racings state of the art workshop.


Over the course of many years we have worked closely with the trade to offer support with the design and installation of workshop projects.

We can offer a full design service which includes site visits from our sales reps and production team, planning and measurement of workshop areas and production of CAD drawings and rendered images.


DO YOU REQUIRE ASSISTANCE WITH A WORKSHOP FIT OUT ?

You can discuss your project requirements and arrange a site visit by speaking to a member of our sales team









Examples of rendered drawings and CAD drawings produced by our in house design team.

WFI TROLLEYS

Equipped with 160 mm 2 svivelled castors and 2 fixed castors
Incl. saftey catch and adjustable shelf

Max. load 45 kg/ drawer



Mobile Workbench 200 5 Drawers/ 1 Door

Article	Dimension (mm)	Weight	Load
5-550-3	950 X 600 X 945	85 kg	200 kg

Max. load 45 kg/ drawer



Mobile Workbench 200 10 Drawers

Article	Dimension (mm)	Weight	Load
5-552-3	950 X 600 X 945	100 kg	200 kg

Accessories 5-550-3 & 5-552-3

Can be attatched to both sides



Waste Paper Basket for Mobile Workbench

Article	Dimension (mm)	Weight
5-558-3	350 X 50	2 kg

Can be attatched to both sides



Wire Basket for Mobile Workbench

Article	Dimension (mm)	Weight
5-557-3	430 X 210 X 300	1 kg



Pull-Up Panel for Mobile Workbench

Article	Dimension (mm)	Weight
5-570-3	875 X 100 X 630	18 kg

WFI TROLLEYS



Accessory Kit:
2 Perforated Uprights
1 Supension Rail
1 Perforated Panel
1 Shelf D:210 mm

Accessory Kit and Perforated Uprights Mobile Workbench

Article	English	Dimension (mm)	Weight
5-554-3	Accessory Kit	-	15 kg
5-555-3	Perforated Uprights	-	4 Kg
3-362-1	Perforated Tool Cupboard	870 X 480 X 120	18 kg



Draw Unit H 4 Drawers

Article	Dimension (mm)	Weight	Load
4-360-13	1020 X 700 X 1000	92 kg	500 kg

Heavy trolley based on tubular frame 38x38 mm
Max. load 45 kg/ drawer
Incl. adjustable shelf



Mobile Workbench 500 2 Doors

Article	Dimension (mm)	Weight	Load
5-590-3	1140 X 740 X 1000	100 kg	500 kg



Mobile Workbench 500 1 Door/ 5 Drawers

Article	Dimension (mm)	Weight	Load
5-591-3	1140 X 740 X 1000	140 kg	500 kg

WFI TROLLEYS



Drawer excl. Tools

Article	Dimension (mm)	Load
4-212-1	780 x 680 x 460	30 kg



Trolley

Article	Dimension (mm)	Weight	Load
5-660-3	1100 X 600 X 920	45 kg	200 kg

Accessories for Tool Trolley

Article	Name	Dimension (mm)	Weight
5-661-3	Shelf	980 X 520 X 50	10 kg
5-662-3	Cabinet	670 X 715	25 kg

FIts for Storage Drawer Units 4-58x-3



Tool Trolley FLEX 150

Article	Dimension (mm)	Weight	Load
5-574-3	445 x 620 x 1220	28 kg	150 kg

Pulpit

Article	Dimension (mm)	Weight	Load
5-506-3	490 X 450 X 230	8 kg	10 kg


Fits Tool Cabinet 4-410-1 + 4-420-1
also for wall mounting



Tool Trolley FLEX


Article	Dimension (mm)	Weight	Load
5-504-3	500 X 450 X 1130	27 kg	50 kg

WFI TROLLEYS



Assembly Trolley 150

Article	Dimension (mm)	Weight	Load
5-507-3	925 X 610 X 1650	23 kg	150 kg
5-508-3	925 X 610 X 1050	21 kg	150 kg




Assembly Trolley 300

Article	Dimension (mm)	Pcs	Weight	Load
5-544-3	930 X 600 X 1700	Fp	30 kg	300 kg
5-545-3	670 X 600 X 1050	Fp	30 kg	300 kg



Assembly Trolley 150

Article	Dimension (mm)	Weight	Load
5-847-0	925 X 610 X 1650	23 kg	150 kg



Assembly Trolley 150

Article	Dimension (mm)	Pcs	Weight	Load
5-845-0	925 X 610 X 1650	Fp	30 kg	150 kg

WFI TROLLEYS



Tool Trolley Flex

Article	Dimension (mm)	Weight	Load
5-840-0	500 X 450 X 1130	27 kg	50 kg



Tool Trolley Flex

Article	Dimension (mm)	Weight	Load
5-841-0	500 X 450 X 1130	27 kg	50 kg



Tool Trolley Flex

Article	Dimension (mm)	Weight	Load
5-842-0	500 X 450 X 1130	27 kg	50 kg



Tool Trolley Flex

Article	Dimension (mm)	Weight	Load
5-543-0	500 X 450 X 1130	27 kg	50 kg

WFI BASIC



Workbench with Worktop Grey Vinyl

Article	Dimension	Weight	Load
6-650-11	1200 x 750 x 885 mm	36 kg	300 kg
6-651-11	1800 x 750 x 885 mm	40 kg	300 kg



Workshop Cabinet

Article	Dimension	Weight
6-622-11	400 x 400 x 845 mm	20 kg




Mobile Workstation BASIC

Article	Dimension (mm)	Weight	Load
5-575-3	1050 x 650 x 1050	85 kg	150 kg



Tool Trolley BASIC

Article	Dimension (mm)	Weight	Load
5-610-3	1800 x 600 x 400	55 kg	50 kg



Perforated Panel

Article	Color	Dimension (mm)	Weight
6-632-11	Blå/ Blue	792 x 492 mm	4 kg

WORKSHOP MAINTENANCE

Wall Panel with Plastic Bins



Wall Mounted Louvre Panel for Plastic Bin Storage
450mm x 500mm
900mm x 500mm
1400mm x 500mm
Complete with LinBins

Hydraulic Lifting Trolley







Max Lift Height x Min Lift Height

720mm x 220mm	Max Load 150kg
880mm x 285mm	Max Load 300kg
1300mm x 355mm	Max Load 350kg
420mm x 825mm	Max Load 500kg

Hook Boards & Tool Storage



Hook Board with Hooks



Hook Board with Stickers

Various Sizes Available
Plus 25, 30 & 50 Qty of Mixed Assorted Hooks
Also Available - 38pc Yellow Sticker Kit



Work Stool

Height Adjustable

2 x Tool Containers

75mm Easy Rolling Castors (2 Braked)



Tool Roundabout

5 x Swivel Castors (2 Braked)

5 x Removable Blue Trays

All Blue Trays are Segmented

1150mm x 470mm

Mini Counter Balance Crane



Lifting Capacity 150kg to 2000kg

Perforated Work Cupboard



With Foldable Work Surface
870mm x 250mm x 715mm



Global Creeper

A Practical, Comfortable Creeper
Solid Steel Frame with 5 x Swivel Castors to follow all your moves
3 x Cushions of Comfortable PU-Foam
Adjustable Neck Rest to Fit your Requirements

Especially Good for Larger Jobs
4 x Cushions of Comfortable PU-Foam
2 x Gas Springs
Adjustable Backrest - variable 5° to 75°
Adjustable Neck Rest
4 x Swivel Castors; 2 braked
Removable Tool Tray
L1040 x W445 x H220 mm



Prestige Creeper

TENG TOOLS

Built to Last - Heavy Guage Top Quality Steel

Powder Painted with 5-Step Rust Prevention & Undercoat

Extensive Range of Tools Available to Suit Your Own Requirements

'Everlasting Power Guarantee':

All Teng Tools products will be replaced or repaired should they break during normal usage due to a manufacturing or material fault

Service Kits are Available for Products that contain moving parts like ratchets & torque wrenches that need to be serviced regularly



PORTABLE SERVICE CASE



TOOL BAG


TOOL BACK PACK





MINI TOOL BOX

Full Range of Storage Accessories, Side Tables, Side Drawers & Tool Panels are Available and can be placed on both sides of all Teng Tools Roller Cabinets





MOBILE TROLLEY



RACKING SYSTEM PORTABLE WORKSTATION
WITH TOOLS & WITHOUT TOOLS

RACKING SYSTEM - MODULAR WORKSHOP CABINETS & WORKBENCHES

The Teng Tools Racking System is a Modular System
available as either a Complete Package or for you to Build Your Own to Your Own Requirements

Durable Heavy Gauge Steel
Powder Coated with 5 Step Rust Protection
High Load Capacity Drawers
All Drawers with Robust 3-Step Ball Bearing Slide
Improved Combination Locking System
Height Adjustable Steel Shelves
Adjustable Feet for Uneven Surfaces
Double High Density Laminated Work Surface
Back Panels available - Ideal for Hanging ToolS

COMPLETE PACKAGE MODULAR SYSTEMS

XL MODULE



LARGE MODULE



MEDIUM MODULE





SMALL MODULE



RACKING SYSTEM - MODULAR WORKSHOP CABINETS & WORKBENCHES

BUILD YOUR OWN MODULAR SYSTEM
Examples of Modular Units Available

BASE



4 DRAWER



BASE CABINET




SINGLE DRAWER



SHELVING



SHELVING & DRAWER



WIDE SINGLE DRAWER



WIDE BASE CABINET



CORNER SHELVING



SHELVES




KICK PLATES



SLIDING SHELVES



CORNER SHELVES



WORKTOPS



DRAWERS



RACKING SYSTEM - MODULAR WORKSHOP CABINETS & WORKBENCHES

BUILD YOUR OWN MODULAR SYSTEM
Further Examples of Modular Units Available

FULL HEIGHT CABINETS







WALL CABINETS






CORNER CABINET



FLOOR STANDING CABINETS











TOOL SETS & AIR TOOLS

EXAMPLES OF TOOL SETS AVAILABLE










AIR TOOLS

Quick, Powerfull, Lightweight & Versitle Tools
Able to Withsttand Dust, Heat & Water Better than Electrical Tools








MOBILE TOOL STORAGE STACK SYSTEM



Build Your Own Ultimate Tool Kit with the Stack Storage System

START WITH A TROLLEY / TOOL CABINET





















MOBILE TOOL STORAGE STACK SYSTEM

EXAMPLES OF JUST SOME OF THE UNITS YOU CAN ADD TO YOUR STACK STORAGE SYSTEM

ADD A TOP BOX (Can be used as a STAND ALONE UNIT)






ADD A MIDDLE BOX (Can be used as a STAND ALONE UNIT)




ADD A SIDE UNIT (Can be used as STAND ALONE UNITS)



Side Drawer Cabinet



Side Cabinet Option 1



Side Cabinet Option 2



Side Shelving Unit (shown attached to a Trolley)



Side Cupboard (shown attached to a Trolley)











KB SECURE SOLUTIONS LTD
www.kbsecure.co.uk
01442 216866
sales@kbsecure.co.uk



