





KB SECURE SOLUTIONS



www.kbsecure.co.uk

sales@kbsecure.co.uk



01442 216866

HOT & COLD WATER MOBILE STATIONS

ScrubKart™

Instant Hot or Cold Water Mobile Hand Washing Cart
Take Sanitising to the Next Level

No Plumbing Required: Tank Fed Water & Self-Contained Waste
Robust Heavy Duty Steel Construction with Stainless Steel Sink & Tap

350 mm Solid Rubber Tyres for Rough Terrains

Foot Pump Operated System & Hands Free Swing Bin: Promoting Sanitisation

2 x 25 L Tanks: One Marked for Clean Water, the Other for Waste

Up to 120 Hand Washes per 25 L Tank

Fitted with a 15 L Reservoir Water Heater

Select a Temperature Comfortable for your Users

1.5 mm Powder Coated Steel with Cam Latch; Built to Last

Dimensions 790 x 870 x 1450 mm; Weight 120 kg

Easily Manoeuvred by One Person; Patent Pending Design

Supplied with: 1 x Soap Dispenser; 1 x Paper Towel Dispenser & Relevant Signage

Optional Extras: Padlock, Wipes, Hand Sanitiser, Manual & Automatic Dispensers



SBK1T

Instant Warm Water
Heated with 110v Power

SBK2T

Instant Warm Water
Heated with 240v Power

SBK3T

Instant Cold Water

SaniStationPro™

Unique All in One, Multi-Purpose Mobile Solution for Both Sanitising & Cold-Water Hand Washing

Help Your Workers Stay Safe & Clean; Weather-Proof, Wipe Clean & Durable

Foot Pump Operated Stainless Steel Tap & Sink One Side

Space on Reverse to Customise with Either Hand Sanitising Facilities or Health & Safety Notices

Easily Relocated with Castors Fitted as Standard; Fitted with One shelf

1.5 mm Powder Coated Heavy Duty Steel with Cam Lock & Fork Lift Skids

Robust Long Term Solution with Built in Secure Storage for Spares

Supplied with: 2 x Sanitiser Dispensers; 1 x Soap Dispenser; 1 x Paper Towel Dispenser;

1 x 5 L Sanitiser Refill; 2 x Hands Free Swing Bins & Relevant Signage

Complies with EN1276, EN13704, EN14476 & EN1500

Dimensions 1235 x 500 x 1850 mm; Weight 150 kg

Optional Extras: Bucket of 225 or 500 Wipes; 5 L Alcohol-Free Hand Sanitiser;

5 L Alcohol Hand Sanitiser; Additional Pump Dispensers; Additional Paper Towel Dispensers;

Upgrade to Automatic Dispensers



SP140

Tank Fed Water & Self-Contained Waste: 25 L Capacity



SP160

Connections for Mains Fed Water & Mains Waste



SANISTATIONS

SaniStation Mini™

A Robust Hand Sanitiser Station with Anti-Theft System
Ideal for Internal High Traffic Environments

1 x 5 L Bottle of Sanitiser can Provide up to 2,500 Portions

Compatible with All Standard 5 L Bottles

Low Dosage 5 L Bottle Pump (2 ml) to Reduce Spillage

No Installation Required

1.5 mm Powder Coated Steel with Hex Screw Locking Mechanism

Optional Extras Include: 5 L Sanitiser & Castors (except S10WM)




S10P - Premium (Free Standing)

Built-In Secure Storage for an Extra Bottle
Castors Available for Ease of Manoeuvrability
1000 x 150 x 200 mm; Base Plate 400 mm
Weight 15 kg

S10S - Standard

200 x 1000 mm; Base Plate 400 mm; Weight 12 kg
Castors Available for Ease of Manoeuvrability



S10HF - Hands Free

Foot Operated Dispenser for Hands Free Use
Built-In Secure Storage for an Extra Bottle
Castors Available for Ease of Manoeuvrability
1000 x 150 x 200 mm; Base Plate 400 mm
Weight 15 kg

S10WM - Wall Mounted

Simple Wall Mounted Bracket; 200 x 240 mm; Weight 2 kg



SaniStation™

Unique Solution for Immediate Deployment of a Central Hand Sanitising Unit; Two Sided to Promote Segregation
Weatherproof, Durable Wipe Clean Surface to Promote Clean Work Area; Aerodynamic Design to Withstand Wind

Suitable for External Use with Gutter to Prevent Rain Water Dripping onto User

Wide Shelf to Store Additional Items; Fork Lift Skids Fitted as Standard

Robust, Heavy Duty 1.5 mm Powder Coated Steel Construction for Long Term Use

Multi-Purpose Backboard Available in Various Colours: Green for First Aid, Red for Safety

Optional Secure Storage for Sanitiser Spares; Complies with EN1276, EN13704, EN14476 & EN1500



Includes: 2 x Pump Dispensers; 1 x 5L Hand Sanitiser & Relevant Sanitising Signage

Dispensers come Unfixed for Flexible Layout; 1235 x 500 x 1850 mm; Weight: 72 kg


Optional Extras: Castor Kit; Secure Cabinet; Wipes; Hand Sanitiser & Dispensers



Alternative Uses



ON THE MOVE



TuffBench+™ BH1080-VWK

Versatile & Easy-to-Use Heavy Duty Mobile Folding Work Platform
 No Detachable Parts: Stays Together as One Unit
 Pre-Fitted with a Handle & Wheels for Improved Mobility
 Durable Sustainable Compressed 25 mm Timber Work Surface
 36 mm Diameter Steel Powder Coated with Anti-Corrosive Undercoat
 Folding Legs Secured with a Chain When Shut
 Weight Load Capacity up to 300kg
 Collapsible for Easy Storage & Transportation
 Ideal for Fitting Power Tools, Vices & Pipe Threaders
 BH1080-VWK comes with Chain Vice & Engineers Vice as Standard
 Optional Extras: 6" Engineers Vice & 4" Chain Vice
 Folded Down 1165 x 870 x 315 mm; External 1165 x 870 x 1005 mm
 Weight 58 kg

This Workbench can be Supplied Without the Chain Vice or Engineers Vice (BH1080-HW)
 Dimensions for BH1080-HW are: Folded Down 1080 x 750 x 130 mm; External 1080 x 750 x 820 mm; Weight 31 kg

Mobile TuffBench™



Innovative Universal Heavy-Duty Mobile Workbench
 & Storage Cabinet with Multi-Purpose Work Surface
 Fitted with Extra Heavy-Duty Wheels & Fork Lift Skids
 Secure Cabinet Section Beneath Workbench
 Handles Fitted Each End for Ease of Handling
 Highly Secure 5-Lever Deadlocks & Internal Anti-Jemmy Systems
 2 mm & 3 mm Steel Powder Coated with Anti-Corrosive Undercoat
 Serial Numbered for Key Replacement: 2 x Keys Supplied:
 1000 kg Working Load; Fire Resistant
 Ultra-Tough Surface Ideal for Fixing Chain Vice,
 Engineers Vice & Other Equipment
 Indispensable for Pipe Threading & Bending



Wooden Top BH1270M-W

1200 x 700 x 20 mm
 Weight 20 kg

Compressed Timber Work Surface
 Metal Edge Flush
 with Wooden Surface
 Ideal for Fitting a Chain Vice
 & Engineers Vice to



BH1270M

Internal 990 x 630 x 640
 External 1120 x 705 x 920
 Weight 78 kg
 Facility to Attach a Wooden
 Work Surface (Optional Extra)



BH1270M-VF

Internal 990 x 630 x 640 mm
 External 1200 x 705 x 940 mm
 Weight 125g
 Fitted with Wooden Top,
 Chain Vice & Engineers Vice



SiteStation SS2


Robust, Lockable, Mobile Mini/Compact
 Site Office & Central Hub
 Secure Weather Resistant Storage for
 PPE, Fixings, Power Tools & More
 Robust Chamfered Edge Construction
 giving Maximum Protection
 Pockets on Doors for Smaller Components
 Split into Two Compartments
 with Separate Lockable Doors
 Full Width Shelves in Both Upper
 & Lower Compartments
 Compartments Contain Full Width Shelving
 for Easy Organization of Contents



Slanted Working Shelf in Top Section
 Provides Useful Worktop for Paperwork
 Slanted Working Shelf also Acts as a Lockable
 Lid for the Compartment Behind
 Robust Fire Resistant Design
 Powder Coated 1.5 mm Steel in Charcoal Grey
 3 x Highly Secure, Keyed Alike 5-Lever Deadlocks;
 3 x Keys Supplied
 LED Work Light & 2 x 110V Power Sockets Built In
 Very Mobile with Lifting Eyes,
 Fork Pockets/Slides & Heavy Duty Castors
 Rubber Gaskets around Openings
 Help Prevent Water Ingress
 Top 1300 x 800 x 1065 mm;
 Bottom 1300 x 800 x 610 mm; Weight 223 kg

STORAGE

TuffStor Cabinet™



Ultra Tough Versatile High Security Cabinets
 Designed to Keep Tools & Equipment Organised & Accessible
 Same Level of Security as a Conventional Site Safe but Take up Less Floor Space
 Ideal for Use in Both Workshops & Vehicles
 or Simply Add Castors using the Pre-Drilled Holes & it Becomes Mobile
 Keyed Alike 5-Lever Deadlocks Both Sides with 3 x Heavy Duty Chubb-Style Keys
 2 x Fully Height Adjustable Shelves Fitted
 1.6mm & 2mm Steel Powder Coated with Anti-Corrosive Undercoat
 Heavy Duty Doors with Fixed Hinges & Concealed Anti-Jemmy System
 Fork Skids with Fixing Slots for Easily Adding Castors
 Quick-Fix Bolt On Castor Kit & Additional Shelves Also Available
 Robust Construction for Maximum Protection; Fire Resistant



Product
Internal Dimensions
External Dimensions
 (Inc Protrusions)
Weight

TSC1
 490 x 465 x 895 mm
 500 x 530 x 980 mm

44 kg

TSC2
 790 x 540 x 1170 mm
 800 x 585 x 1250 mm

74 kg

TSC3
 1185 x 510 x 1475 mm
 1205 x 580 x 1555 mm

113 kg



Ultra Tough Innovative Mobile Cabinets with Removable Storage Bins
 Designed for Storing Power Tools & Other Smaller Accessories
 2 x Highly Secure, Keyed Alike 5-Lever Deadlocks, 3 x Keys Supplied
 Fork Lift Skids on Base with Fitted Heavy Duty Castors
 Heavy-Duty Doors with Fixed Hinges & Secluded Anti-Jemmy Protection
 Ideal for Securely Storing Copper Parts & Mechanical Components
 Powder Coated 1.6 mm & 2 mm Robust Steel Plate Construction



FC4

3 x Removable Shelves with Welded in Compartments
 Storage Compartment in Base for Larger Tools & Equipment
 Extra Shelf Available: c/w Segregated Storage
 Internal Dimensions 995 x 505 x 1295 mm
 External Dimensions 1010 x 550 x 1575 mm
 Weight 133 kg

FC3

3 x Removable Shelves & 15 x Individual Storage Bins
 Additional Shelves & Fitting Bins Available
 Internal Dimensions 1185 x 510 x 1465 mm
 External Dimensions 1200 x 550 x 1750 mm
 Weight 139 kg

FittingStor™




FC2

2 Removable Shelves & 6 x Individual Storage Bins
 Additional Shelves & Fitting Bins Available
 Internal Dimensions 790 x 540 x 1170 mm
 External Dimensions 800 x 555 x 1170 mm
 Weight 89 kg

SAFETY BARRIERS

Barricade BAR1

Concertina Barrier for Marking Out Safe Working Areas
 Extendable to 4 Meters Long; Weight 25 kg
 2mm & 3mm Steel Construction
 Powder Coat Finish to Maximise Durability
 Unique Safety Catch to Hold the Barrier Together
 when Folded to Make Carrying Easier & Safer
 Folded Dimensions 450 x 300 x 950 mm
 Extended Dimensions 4000 x 300 x 950 mm
 Pillar Box Red & Signal White



InstaGate™

InstaGate™ IG6

Next Generation Crowd Control Barrier
 Easily Moved & Controlled by One Person
 Multi-Purpose, Robust & Ideal for a Wide Range of Settings
 Available as 6ft High (IG6) & 4ft High (IG4)
 Deploys in Seconds to Cordon Off Restricted Areas
 Robust Braked Wheels Allow for Easy Movement & Placement
 Unique Latching System Secures Barrier
 in a Closed Position when Not In Use
 Can be Used to Extend to Any Length Using Additional Modules
 Highly Visible Powder Coated Red & White Markings
 Lightweight, Ultra-Strong 1.5mm Aluminium
 Ideal for Indoor & Outdoor Use in a Wide Range of Situations
 Can be Fitted with Standard Scaffold Clamps
 to Fix to Scaffolding or Turn Corners
 Weather & Wind Resistant



Closed 450 x 542 x 1884 mm
 Extended 2380 x 542 x 1884 mm
 Weight 40 kg

InstaGate™ IG4




Closed 440 x 540 x 1380 mm
 Extended 2185 x 540 x 1380 mm
 Weight 30 kg



OUTDOOR STORAGE

Forma-Stor™

Robust & Secure Storage Units with Strong Lockable Doors with Jemmy-Proof Joins
 2mm & 1mm Fully Galvanised Steel Panels; Powder Coated Charcoal Grey
 Highly Secure Keyed Alike 5-Lever Deadlocks, 3 x Keys Supplied
 Strong Fitted OSB Wooden Floor; Fire Resistant for Up to 30 Minutes
 Flat Packed (Simply & Easy to Erect) or Pre-Assembled (at additional cost)
 Modular - Easily Replace Individual Panels
 Crane Lifting Eyes for Hassle Free Movement; Forklift Pockets/Skids
 Forma-Stor COSHH™ Also Available




Forma-Stor COSHH™



Product	FR100-T	FR200-T	FR300-T	FR400-T
Internal Dimensions	1920 x 970 x 1950 mm	1920 x 1920 x 1950 mm	1920 x 2840 x 1950 mm	1920 x 3840 x 1950 mm
External Dimensions (Inc Protrusions)	2075 x 1120 x 2160 mm	2075 x 2075 x 2160 mm	2075 x 2990 x 2160 mm	2075 x 3995 x 2160 mm
Weight	251 kg	384 kg	467 kg	594 kg

Shelf FRS2M



Optional Shelf Fits to Any Forma-Stor
 Organise your Materials & Equipment Quickly & Easily
 200kg Substantial Working Load Capacity (UDL)
 Slots onto any 2m End Panels of a Forma-Stor; No Fixings or Fastenings Required
 FR100 & FR200 can Fit up to 5 Shelves; FR300 & FR400 can Fit up to 10 Shelves
 Pillar Box Red Powder Coated 2mm Steel
 Dimensions: 1970 x 520 x 30 mm; Weight 20 kg

Gorilla Gas Cages

Unique Galvanised Gas Cage; Store/Secure Gas Cylinders
 Individual Panels with Bolt-Together Facilities
 Can be Quickly Dismantled When Not In Use
 Galvanised Finish to Sustain All Weather Conditions
 Padlock Point; Robust: 25mm Box Section & 3mm Wire Mesh
 Various Sizes Available from 1000 x 500 x 900 mm, Weight 40kg to 3600 x 1800 x 1800 mm, Weight 205kg




TuffCage TC1.2

Innovative, Unique Designed Folding Cage
 Guaranteed to Save Time, Space & Money
 Store/Secure Gas Cylinders, Tools & Equipment
 One Piece Construction with No Removable Parts
 Can be Erected in 60 Seconds; Two Padlock Points
 Folds Down to 180mm High & Stackable up to 12 Units High
 Galvanised Finish to Sustain All Weather Conditions
 Internal Dimensions 1220 x 1090 x 1760 mm
 External Dimensions 1300 x 1240 x 1800 mm
 Weight 133 kg

COSHH Compliant for Liquids, Gases & Solids
 Galvanised Steel Mesh; Removable Shelf
 Ultimate Durability & Complete Ventilation
 Strong Grated Floor: Store Heavy Items/Allow Drainage
 Hasp & Staple Catch; Forklift Pockets
 Unit can be Simply Deconstructed & Flat Packed
 Sump Capacity 290L; UDL 120kg; Weight 215kg
 Internal Dimensions 1150 x 1200 x 1800 mm
 External Dimensions 1215 x 1265 x 2100 mm



DrumCage DRC4



KB SECURE SOLUTIONS LTD
www.kbsecure.co.uk
01442 216866
sales@kbsecure.co.uk

