


KB SECURE SOLUTIONS



Supplying the UK security industry for over 40 years

Safes & Key Cabinets



www.kbsecure.co.uk

sales@kbsecure.co.uk

01442 216866

Domestic, Commercial & Industrial Environments

KEY CONTROL SYSTEMS

Effective key management & secure storage is an essential part of any organisation's security strategy

Whether you need a simple key cabinet, a mechanised key control system or a sophisticated key issue & monitoring system, Securikey's range of high quality key storage cabinets help to maintain total accountability of large quantities of keys & help prevent unauthorised access within domestic, commercial & industrial environments

[See Pages 1 - 5](#)



Domestic & Commercial Environments

CASH SAFES & VAULTS

The Securikey range of free-standing safes offer the most comprehensive selection, whilst maintaining clear areas of speciality

Each safe is given a cash rating depending on its ability to resist attack, which is designed to help you choose the model which best meets your needs

The Euro Graded Safes offer maximum protection with full VdS test house approval & provide a robust solution for storing money & valuables in both domestic & commercial environments

[See Pages 6 - 18](#)



Certified & Tested For The Harshest Fires

FIRE SAFES & CABINETS

In the aftermath of a fire, access to important documents such as insurance policies, wills, passports & certificates is essential to getting back on your feet

The Securikey range of modern, high security, fire resistant safes & vaults are manufactured to the highest standards & independently tested & approved for both fire protection & physical attack

[See Pages 19 - 21](#)



Protection for Money, Munitions & Drugs

SECURITY CABINETS & BOXES

The secure storage of both Drugs & Fire Arms are very strictly controlled

Where cash & valuables risk is covered by an insurer, an inadequate provision made by a company or individual for keeping dangerous drugs & armaments can result in personal prosecution & subsequent incarceration

These products ensure you will comply to the relevant standard

[See Pages 22 - 25](#)



For over 40 years Securikey has been a trusted partner of many UK companies & institutions, supplying a comprehensive range of innovative security & safety products which meet the requirements of even the most demanding of environments

Combining their technical expertise & knowledge of security with continued evaluation of customer experience & development of their products, Securikey have provided peace of mind & protection to people, buildings & businesses alike;
from the smallest shop to the largest retail store; workshops to factories; Local Authorities to Central Government Agencies;
Financial Institutions to NHS Trusts, Schools, Colleges and Universities.

Quality • Innovation • Expertise

We are a Trusted Partner & Supplier of the Securikey Range

CERTIFICATION



Independent Testing

Many Securikey cash & fire safes have undergone independent testing to European standards

Each is approved & certified after undergoing a rigorous & exhaustive series of technical & practical tests, for use within a diverse range of applications & environments

This is signified by the issuing & mounting of the appropriate badge showing the name of the test house & model number

In addition, Securikey also include an insurance certificate, detailing the recommended level of protection

Accreditations

In addition to Securikey's ISO 9001 certification, Securikey are members of the Master Locksmiths Association (MLA), ESSA & Secured By Design (SBD)

All of these organisations promote the highest standards within the security industry

The inclusion of the 'AIS Approved' logo reinforces the importance of independent testing and the safes approved status with British insurers

Cash Rating

Each Securikey safe is tested & classified by the level of security it provides & designated a cash rating from £1,000 up to £650,000

For the storage of valuables, ratings can be calculated by multiplying the cash amount by 10

These ratings are a guide & it is important that you liaise with your insurance company prior to any installation



Fire Protection Rating

The level of fire protection provided is indicated by the use of this icon, signifying the temperature & time duration achieved

This rating is established from both Securikey's own 'in-house' test & independent testing

In both Sweden & the UK, testing standards include NT017/BS476-20/EN1363-1



Security Standards

Where no clear industry standards exist, Securikey has developed its own rating system to aid product selection

They have applied over 40 years experience within the security industry to these standards & found them to be an excellent measure of strength & durability



Products which provide the highest possible standard of security in each range



Offering additional security & strength, over & above Bronze level



Where a base level of protection or security is required

Guarantee

Securikey branded products offer a 1 year guarantee in respect of materials & workmanship*

Master Lock® security branded products carry a lifetime guarantee

*Guarantee applicable to the lock is limited to that offered by the lock's manufacturer

LOCKING OPTIONS

Unless otherwise stated Securikey products will be supplied with a key lock as standard
The type of lock will depend upon its position within the range
Securikey recognise that there may be a requirement to add or alter the standard locking configuration
It is for this reason we offer the following alternatives



REVO B/BR
1 Manager, 39 User Codes
Full function lock with multiple user codes, audit trail and time locking to prevent unauthorised entry during specific time zones



MECHANICAL PUSH BUTTON LOCK
A push button lock similar to those used extensively within offices in the UK. This lock type is available with a slam lock only



LA GARD 39E
1 Manager, 9 User Codes
VdS Class 2 lock with time delay and 63 event audit trail (software required)



3/4-WHEEL MECHANICAL COMBINATION
A combination lock used extensively in the safe industry. Offers in excess of 1 million combinations



CL1000
Entry level electronic lock with programmable 4-digit code, designed to replace our standard Cam Lock. May be fitted horizontally or vertical depending on product



EDL 77
High quality and extremely reliable lock with selectable code lengths from 4-14 digits, 2 user code option and low battery warning



REVO A
1 Manager, 8 User Codes
A heavy duty lock offering up to 9 user codes and time delay of up to 99 minutes



WITTKOPP PRIMOR 2000
2 User Codes
VdS Class 2 lock with 2 user code and time delay facility



LA GARD 66E
1 Manager, 9 User Codes
Multi user lock with 512 event audit. Programmable features include time delay, time delay override, dual combination, silent alarm and remote signal override



PADLOCKING CAM LOCK
Designed to replace our standard Cam Lock, this option accepts a padlock with 8mm diameter shackle (Max)



MAUER CODE COMBI K
A simple to operate 2 user code lock with audible indication. Only available on Secure Stor



SAFE LOGIC
Single user code with master override facility and wrong code penalty.

Images shown may not be indicative of the lock fitted

LOCKING OPTIONS GUIDE

Mechanical	Locking Option	High Security Key Cabinets	Floor Standing Systems	Key Vault Cabinets	System Key Cabinets	Euro Cylinder Systems	Padlock Security Systems	Key View Systems	Portable Key Systems	Emergency Key Boxes	Min Vault Silver & Deposit	Min Vault Gold FR	Euro Grade 0 015-0055	Euro Grade 0 085-0095	Euro Grade 1015N-1055N	Euro Grade 1085N -1780N	Euro Grade 2040N	Euro Grade 2070N-2780N	Euro Grade 3	Euro Grade 4 - Dual Locking	Euro Grade 5 - Dual Locking	Under Floor Safes	Secure Stor	Fire Stor S1
Standard Cam Lock	●	-	-	-	●	-	●	●	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-Wheel Combination	B	▲	▲	▲	▲	-	▲	-	-	-	■	■	▲	▲	▲	▲	▲	▲	-	●	●	▲	-	▲
4-Wheel Combination	B	■	■	■	■	-	■	-	-	-	-	-	■	■	■	■	■	■	▲	▲	▲	■	-	■
Padlocking Cam Lock	D	-	-	-	▲	-	▲	▲	▲	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mechanical Push Button Lock	E	-	-	▲	-	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Euro Profile Cylinder	●	-	-	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stuv VdS Class 1 Key Lock	●	●	-	-	-	-	-	-	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-
Mauer VdS Class 1 Key Lock	●	-	●	-	-	-	-	-	-	-	-	-	●	●	●	●	●	●	-	-	-	●	●	●
Mauer VdS Class 2 Key Lock	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	-	-	-
Electronic																								
Revo 'B'	A	■	■	■	■	-	■	-	-	-	-	-	-	■	-	■	-	■	▲	■	■	-	-	■
Revo 'BR' Redundancy Feature	A	■	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	▲	▲	-	-	-	-
Revo 'A'	C	▲	▲	▲	▲	-	▲	-	-	-	-	-	-	▲	-	▲	-	▲	-	-	-	-	-	▲
CL1000	F	-	-	-	▲	-	▲	▲	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wittkopp Primor 2000	G	-	■	■	-	-	-	-	-	-	■	■	▲	■	▲	■	▲	■	-	-	-	-	-	■
Mauer Code Combi K	H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	▲	-	-
La Gard 39E	I	■	■	■	■	-	-	-	-	-	-	-	-	■	-	■	-	■	■	■	■	-	-	■
EDL77	J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
La Gard 66E	K	■	■	■	■	-	-	-	-	-	-	-	-	■	-	■	-	■	■	■	■	-	-	■
Safe Logic	L	■	■	■	-	-	-	-	-	-	●	●	■	■	■	■	■	■	■	■	■	-	■	■

Key: ● Standard Supply ▲ Standard Option ■ Alternative Option



KEY CONTROL SYSTEMS HIGH SECURITY KEY FILING SYSTEMS

The Ultimate in Key Control

Our range of high security key control systems, the most comprehensive available, are manufactured utilising the same technology as our cash safes & tested to the highest standards

They are ideal for safeguarding against lost or stolen keys even within high security commercial applications, such as the UK's Prestige Motor Dealers, Police Stations & Banks

HIGH SECURITY:

Body constructed from 3mm steel; 6mm slab door

Three-way locking mechanism with 20mm diameter bolts

Features include adjustable hook bars, clever key tags & index control

Available in deeper models for the storage of bunches of keys



Key Safe 80



High Security 100



High Security Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
High Security 60	436	460	120	25	60 keys
High Security 100	636	460	120	35	100 keys
High Security 150	636	460	200	43	150 keys
High Security 200	636	460	200	46	200 keys
High Security 300	636	460	300	53	300 keys

High Security Deep Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
High Security Deep 50	635	455	180	38	50 bunches
High Security Deep 100	1,100	455	180	62	100 bunches

High Security Electronic Key Safe 80 with EDL 77 lock

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
Key Safe 80	450	350	150	19.5	80 keys

FLOOR STANDING SYSTEMS:

Based upon the FireStor our Floor Standing systems are larger capacity key cabinets

Their key panels are on telescopic slides for easy access & storage

These units are AiS approved

Multiple locking options available



Floor Standing System 960



Floor Standing



Light Fire Protection

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
Floor Standing 960	860	600	520	104	960 keys
Floor Standing 1560	1,220	600	520	134	1,560 keys
Floor Standing 2160	1,580	600	520	165	2,160 keys





KEY CONTROL SYSTEMS - KEY VAULT

Advanced Key Management

Designed to meet the requirements of insurance companies in the control, tracking & security of keys associated with risk to valuables or property, our range of Key Vaults offer double the security & strength provided by our system cabinets

Constructed from 2.5mm fabricated steel; Flush closing door for added security

Supplied as standard with euro profile cylinder lock enables integration in to a buildings master key system

Key Vaults include adjustable hook bars, matching key tabs, removable control index; Deeper model available for storage of bunches of keys

Ideal for commercial use; Includes security loops to secure keys that require clear evidence of tampering or removal

Multiple locking options available



Key Vault 400



Key Vault

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
Key Vault 30	305	230	70	6	30 keys
Key Vault 48	355	300	80	8	48 keys
Key Vault 100	550	380	80	13	100 keys
Key Vault 200	550	380	140	20	200 keys
Key Vault 400	550	730	140	34	400 keys
Key Vault 600	550	730	205	43	600 keys

Key Vault with
Push Button
Combination
Slam Lock



Deep Key Vault

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
Key Vault 48 Deep	355	300	140	8	48 bunches
Key Vault 100 Deep	550	380	140	14	100 bunches
Key Vault 200 Deep	550	730	140	30	200 bunches

Key Vault Padlock

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
Key Vault 28 Padlocks	355	300	140	8	28 padlocks
Key Vault 50 Padlocks	550	380	140	14	50 padlocks
Key Vault 100 Padlocks	550	730	140	30	100 padlocks



KEY CONTROL SYSTEMS - SYSTEM CABINETS

Affordable Key Control

These cabinets are best suited to domestic & commercial use for key control & tracking

Constructed from pressed & folded steel & secured with a choice of multiple locking options, the cabinets provide the space to store & track up to 600 keys & include adjustable hook bars to accommodate different key lengths

Each model has a removable control index for out-of-hours peace of mind, colour-coded hook bars & tags to ensure quick identification, both of which are numbered

For larger requirements, our range of deep system cabinets provide the extra space required to accommodate bunches or a mixture of bunches & individual keys

Includes security loops to secure keys that require clear evidence of tampering or removal

Multiple locking options available

System 100



System 35



B C D F

System Cabinets

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 20 ¹	260	185	80	2	20 keys
System 30	305	215	80	3	30 keys
System 35	320	245	80	3	35 keys
System 48	355	300	80	4	48 keys
System 64	450	300	80	5	64 keys
System 100	550	380	80	8	100 keys
System 150	550	380	140	13	150 keys
System 200	550	380	140	14	200 keys
System 250	550	380	205	17	250 keys
System 300	550	380	205	18	300 keys
System 400	550	730	140	23	400 keys
System 500	550	730	205	32	500 keys
System 600	550	730	205	34	600 keys

¹No control index.

Deep Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 35 Deep ¹	320	245	100	3	35 bunches
System 48 Deep	355	300	120	5	48 bunches
System 100 Deep	550	380	140	8	100 bunches
System 150 Deep	550	380	205	14	150 bunches
System 200 Deep	550	730	140	18	200 bunches

¹Available as key locking only.



E

Euro Cylinder Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 20 Euro	305	215	80	3	20 keys
System 48 Euro	355	300	80	4	48 keys
System 100 Euro	550	380	80	8	100 keys



KEY CONTROL SYSTEMS - SPECIALIST SYSTEMS

Having all the same features & benefits of our System cabinets, this specialist range of products has been designed to suit specific applications

Examples of this are cabinets designed to house padlocks & keys used to isolate switchgear or machinery, clear fronted cabinets for instant visual check of all stored keys & emergency key boxes to house a restricted key near to a locked door in case of emergency

KEY VIEW SYSTEMS:

Key View has the same features & benefits as our System Key Cabinets

Key View cabinets have a plexi-glass front for easy viewing of stored keys

Holds up to 50 keys

Multiple locking options available



System 50 Key View



Key View Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 24 Key View	355	300	80	4	24 keys
System 32 Key View	450	300	80	5	32 keys
System 50 Key View	550	380	80	6	50 keys



System 35 Portable

PADLOCK SECURITY SYSTEMS:

Designed to house padlocks & keys to isolate switchgear or machinery

Available in 3 sizes; Holds up to 100 locks

Fitted with extra deep hooks, staggered & spaced 54mm apart



Padlock Security System



BCDF

Padlock Security Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 24 Padlock ¹	355	300	120	5	24 padlocks
System 50 Padlock ¹	550	380	140	10	50 padlocks
System 100 Padlock ¹	550	730	140	17	100 padlocks

¹Padlocks not supplied.



DF

Portable Key Systems

Model	External Dimensions (mm)			Weight (kg)	Holds up to
	Height	Width	Depth		
System 20 Portable ¹	260	185	80	2	20 keys
System 30 Portable	305	215	80	3	30 keys
System 35 Portable	320	245	80	3	35 keys
System 63 Portable	320	245	100	5	63 keys

¹No control index

KEY CONTROL SYSTEMS - SPECIALIST SYSTEMS

EMERGENCY KEY HOLDING BOXES:

Steel construction with 2mm break glass or solid front

Available in 5 models:

K0 – Glass front with security seal & chained hammer

K1 – Glass front with security cam lock

K1SF – Solid front with security cam lock

K1PHZ – Solid front for euro profile cylinder

K1LO/K1LO5 – Solid front with security cam lock & provision for up to 12 padlocks
(K1LO5 – 10 Padlocks)


Multiple locking options available



Emergency Key Box Range



Emergency Key Holding Boxes



Optional Security Seals

Model	External Dimensions (mm)			Weight (kg)	Number of Hooks
	Height	Width	Depth		
K0 ¹	153	120	40	1	1
K1 ²	153	120	40	1	1
K1SF - Solid Front ²	153	120	40	1	1
K1PHZ - To suit Euro Cylinder	155	123	50	1.3	1
K1LO-Safety Lockout ²	155	155	63	1	3
K1LO5 ²	155	120	63	1	1

¹ Has no lock, but provision for a seal. Supplied with a hammer and chain plus 2 seals.

² Fitted with cylinder lock.



CASH SAFES & VAULTS - EURO VAULT

£1,500 Cash Rating*

Utilizing the same build quality as our Mini Vault range these safes will take a laptop, cash drawer, box file or valuables & are available with either a motorised electronic lock with keypad & integrated light for the convenience of keyless entry or Euro Profile Cylinder, for those customers who wish to combine their safe with house or business security arrangements

Perfect for any situation where cost & flexibility are paramount

Optional hotel mode is perfect for commercial rental applications when included in hotel rooms or serviced apartments



Euro Vault Range



£1,500

ELECTRONIC MODEL:

Locking is via a motorised lock with keypad

An override key & master code ensures emergency entry at all times

DRAWER SAFE:

2 sizes that are perfect for fitted furniture

Motorised electronic locking; Integrated light

KEY LOCK MODEL:

Manufactured with a 2mm body & 4mm anti-bludgeon flush fit door, with 20mm hardened steel locking bolts

Supplied with Euro Profile half cylinder; 40mm length

GAS STRUT ELECTRONIC:

Designed to allow installation in areas with limited access, this unit has a larger door & integrated light

Hinged door with twin gas strut assistance

Locking is via a motorised lock with keypad



Euro Vault Electronic

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)
	Height	Width	Depth	Height	Width	Depth		
Euro Vault Key	200	500	400	195	495	350	17	34
Euro Vault Electronic	200	500	400	195	495	350	17	34
Euro Vault Gas Strut	150	400	350	95	395	345	12	13
Euro Vault 12L Drawer	205	400	370	135	305	295	14	12
Euro Vault 17L Drawer	200	510	380	140	405	305	18	17

*Insurance ratings may vary dependant on risk & location. Please check with your insurers.

CASH SAFES & VAULTS - MINI VAULT SILVER S2

£4,000 Cash Rating

The Mini Vault Silver is ideal for the safekeeping of cash & valuables

Whilst the manufacturing techniques used provide a robust unit for domestic & commercial applications, its internal fittings are those you would expect to protect delicate valuables, such as watches, jewellery & electronic tablets

This protection is achieved by utilising an anti-bludgeon laser cut door (to prevent prying & chisel attack) mounted on concealed hinges & hardened steel plates to protect all vulnerable areas

Both key & electronic lock models are tested & certified to EN14450-S2

Manufactured with a 4mm body & 8mm anti-bludgeon flush fit door, with 25mm hardened steel locking bolts

Available in 4 sizes, plus 2 deposit options

A choice of key or electronic locking mechanisms, the electronic options offers changeable codes, low power warning & LED indicators

All models have felt lined walls, thick foam base pad, jewellery shelf* & battery operated motion sensitive light

Mini Vault 3 has been designed to accommodate a till or jewellery drawer of a width 410mm

Deposit Options (see page 18)



Mini Vault Silver S2 Family



Single user code with master override & wrong code penalty



Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0	250	374	274	240	354	210	22	18	—
Mini Vault 1	294	374	325	282	354	260	29	26	1
Mini Vault 2	532	374	425	522	354	360	52	67	2
Mini Vault 3	470	435	405	455	420	355	52	68	1

*Where applicable • Keypad and handle increase depth by 35mm

CASH SAFES & VAULTS - MINI VAULT GOLD FR S2

£4,000 Cash Rating

The Mini Vault Gold FR is ideal for the safekeeping of documents, valuables & cash

Whilst the manufacturing techniques used are intrinsically the same as Mini Vault Silver the FR model benefits from a double walled construction, with a fire resistant barrier material to DIN 4102

The inclusion of this second level of protection gives the FR model its light fire protection

All models are tested & certified to EN14450-S2

Combined body thickness of 6mm, an 8mm anti-bludgeon door with 25mm hardened steel locking bolts

Available in 4 sizes; Choice of key or electronic locking mechanisms

The electronic options offer changeable code, low power warning and LED indicators

All models include jewelry shelf* & battery operated motion sensitive light, fixing bolts, batteries & operating instructions



Concealed Hinge & Dog Bolt



Mini Vault Gold FR S2 Family



L



£4,000



Light Fire Protection

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0 FR	250	374	274	138	304	168	25	7	–
Mini Vault 1 FR	294	374	325	182	304	220	32	12	1
Mini Vault 2 FR	532	374	425	420	304	320	62	41	2
Mini Vault 3 FR	470	435	405	350	360	305	62	38	1

*Where applicable • Keypad and handle increase depth by 35mm

CASH SAFES & VAULTS

EURO GRADE 'O' - SINGLE KEY LOCK

£6,000 Cash Rating*

Constructed to exceed the criteria laid down by the insurance & security industry, these Euro Grade 'O' safes are also designed to blend in with today's modern environments, a subtle combination of material & components that function well beyond our customers expectations

The lightweight construction encourages increased installation opportunities with fixing made through twin anchor points

£6,000 overnight cash cover (£60,000 valuables)*

30 minutes protection from fire at 750° C - BS476-20

Manufactured in accordance with EN1143-1:2005 & independently tested & certified by VdS test house
3-way square locking bolt work, with continuous hinge side protection

Door opened to 205° for maximum access

Fitted with VdS class 1 double bitted safe lock & 2 keys


Optional combination or electronic locking available

Internal door pan is locked to prevent tampering


Supplied with adjustable (50mm intervals)/removable shelf

Multiple locking options available

Deposit Options (see Page 18)



Electronic Lock Option



Adjustable Shelf



0055



C G L



£6,000



Light Fire
Protection

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)
	Height	Width	Depth ¹	Height	Width	Depth		
0015 ²	395	325	300	334	275	180	72	17
0025 ²	395	405	345	334	355	225	91	27
0035 ²	395	405	425	334	355	305	105	36
0055 ²	570	405	425	509	355	305	135	55
0085	570	505	495	509	455	375	172	87
0095 ³	755	505	425	694	455	305	192	96

¹ Excludes 25mm for hinge/handle protection ² Locking option G available only ³ Dual locking available on model 0095 • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS

EURO GRADE '1' - SINGLE KEY LOCK

£10,000 Cash Rating*

Using the latest technology & with close consultation with what is recognised as one of the best independent test houses, these safes have been designed to perform under the toughest conditions

Their ultra-modern appearance & lightweight construction allows integration in to most environments

Tested and certified according to EN 1143-1 Security Grade I

Fitted with solid steel sliding bolts on three sides, continuous hinge protection & a single security key lock

Fire resistant door seal & base fixing point with rear fixing option included as standard; Tested to BS476-20


Optional fittings include adjustable shelving, a lockable compartment, metal door pocket & a rotary or tube deposit facility

Dual locking on models 1095N to 1780

spoke RAL colours available – please contact us for details

Multiple locking options available

Deposit Options (see page 18)



Audit lock option Revo B



1085N



Three-way Locking Bolts

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth ¹	Height	Width	Depth				
1015N ²	410	335	300	334	275	180	55	17	–	1
1025N ²	410	415	345	334	355	225	75	27	–	1
1035N ²	410	415	425	334	355	305	85	36	4	1
1055N ²	585	415	425	509	355	305	105	55	4	1
1085N	585	515	495	509	455	375	130	87	6	1
1095N	770	515	425	694	455	305	155	96	12	1
1120N	940	515	425	864	455	305	180	120	12	2
1180N	1,120	515	495	1,044	455	375	225	178	18	2
1410N	1,475	765	535	1,399	705	415	375	409	36	3
1535	1,850	840	580	1,720	730	415	495	521	45	4
1780 ³	1,850	1,190	580	1,720	1,080	415	665	771	70	4

¹ 45mm extra depth with handle and different locks. ² Locking option G available only. ³ Double doors.

*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS

EURO GRADE '2' - SINGLE KEY LOCK

£17,500 Cash Rating*

As with all our Euro Graded safes this model is constructed from solid steel with a composite slab door

The smallest model at 39 litres capacity is one of the most compact Grade 2 safes in the market today

With a range extending to a capacity of 847 litres there is a model to suit virtually any application

Tested & certified according to EN 1143-1 Security Grade II

Fitted with solid steel sliding bolts on three sides, continuous hinge protection & a single security key lock

Multiple locking options available

Fire resistant door seal & base fixing point with rear fixing option included as standard; Tested to BS476-20


Optional fittings include adjustable shelving, a lockable compartment, metal door pocket & a rotary or tube deposit facility

Dual locking available on models 2070N to 2845N

Bespoke RAL colours available – please contact us for details

Multiple locking options available

Deposit Options (see page 18)



Bespoke Paint Finish



B C G L



£17,500



Light Fire Protection



2040N



Mechanical Combination Lock Option



Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth ¹	Height	Width	Depth				
2040N ²	430	460	450	334	380	305	137	39	5	1
2070N ³	605	535	450	509	455	305	200	71	6	1
2095N ³	790	535	450	694	455	305	247	96	12	1
2175N ³	960	610	530	864	530	385	344	176	14	2
2215N ³	1,140	610	530	1,044	530	385	397	213	21	2
2285N ³	1,495	610	530	1,399	530	385	501	285	28	3
2395N ³	1,495	760	560	1,399	680	415	599	395	36	3
2440N ³	1,320	760	675	1,224	680	530	585	441	27	2
2580N ³	1,850	840	580	1,754	760	435	768	580	45	4
2845N ^{3 4}	1,850	1,190	580	1,754	1,110	435	978	847	70	4

¹ 45mm extra depth with handle and different locks. ² Locking option G available only. ³ Dual locking available on models 2070N to 2845. ⁴ Double Doors. *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS

EURO GRADE '3' - SINGLE KEY LOCK

£35,000 Cash Rating*

A safe tested to Grade 3 as well as providing a cash rating of up to £35,000 will also provide valuables cover of up to £350,000

This rule (x10) can be applied to the safes in all of the Securikey ranges

Tested & certified according to EN 1143-1 Security Grade III

3-way 40mm locking bolts, continuous hinge protection & a single high security key lock or digital keypad to EN1300

Fire resistant door seal & base fixing point with rear fixing option included as standard

Tested to BS476-20

Standard fittings include adjustable shelving & an alarm connection loop


Optional fittings include a lockable inner compartment, metal door pocket & a rotary or tube deposit facility

Dual locking available on all models

Bespoke RAL colours available – please contact us for details

Multiple locking options available

Deposit Options (see page 18)



A B L



£35,000



Light Fire Protection



3070N



Lockable
Compartment Option



Solid External Hinges
& Fire/Smoke Seal

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth ¹	Height	Width	Depth				
3070N	600	535	464	509	455	305	275	71	6	1
3095N	785	535	464	694	455	305	340	96	12	1
3175N	955	610	544	864	530	385	480	176	14	2
3215N	1,135	610	544	1,044	530	385	550	213	21	2
3285N	1,490	610	544	1,399	530	385	660	285	28	3
3395N	1,490	760	574	1,399	680	415	830	395	36	3
3440N	1,315	760	689	1,224	680	530	860	441	27	2
3560N	1,850	840	580	1,759	760	421	1,056	563	45	4
3820N ²	1,850	1,190	580	1,759	1,100	421	1,346	822	70	4

¹ 45mm extra depth with handle and different locks. ² Double Doors • Dual locking available on all models

*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS

EURO GRADE '4' - DUAL LOCKING

£60,000 Cash Rating*

Euro Grade 4 & 5 offer the ultimate in cash & valuables protection

Typical installations include Banks, Diamond Merchants & Casinos

Tested & certified according to EN 1143-1 & fitted with 2 locks to EN 1300

Fitted with 40mm steel sliding bolts

Fire resistant door seal & base fixing points

Tested to BS476-20

Electronic locking options available

Standard fittings include adjustable shelving & alarm connection loop

Optional lockable inner compartment, metal door pocket & rotary or tube deposit facility

Bespoke RAL colours available – please contact us for details

Multiple locking options available

Deposit Options (see page 17)



4080N



A



£60,000

Dual Locking (Key/Mechanical Combination)



Light Fire
Protection

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth ¹	Height	Width	Depth				
4080N	600	610	464	509	530	305	315	82	7	1
4095N	785	535	464	694	455	305	355	96	12	1
4175N	955	610	544	864	530	385	495	176	14	2
4215N	1,135	610	544	1,044	530	385	565	213	21	2
4285N	1,490	610	544	1,399	530	385	675	285	28	3
4395N	1,490	760	574	1,399	680	415	845	395	36	3
4440N	1,315	760	689	1,224	680	530	875	441	27	2
4560N	1,850	840	580	1,759	760	421	1,077	563	45	4
4820N ²	1,850	1,190	580	1,759	1,110	421	1,372	822	70	4

¹ 45mm extra depth with handle and different locks. ² Double Doors • Doors open to 205° • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS

EURO GRADE '5' - DUAL LOCKING



5535

£100,000 Cash Rating*

Euro Grade 4 & 5 offer the ultimate in cash & valuables protection

Typical installations include Banks, Diamond Merchants & Casinos

Tested & certified according to EN 1143-1 & fitted with 2 locks to EN 1300

Fitted with 40mm steel sliding bolts

Fire resistant door seal & base fixing points

Tested to BS476-20

Electronic locking options available

Standard fittings include adjustable shelving & alarm connection loop

Optional lockable inner compartment, metal door pocket & rotary or tube deposit facility

Bespoke RAL colours available – please contact us for details

Multiple locking options available

Deposit Options (see page 17)



A



Light Fire
Protection

Dual Locking (Key/Mechanical Combination)



£100,000

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth ¹	Height	Width	Depth				
5100 ³	840	620	566	680	440	320	705	96	10	1
5150 ³	1,190	620	566	1,030	440	320	935	145	15	2
5245 ³	1,380	710	621	1,220	530	375	1,280	242	21	2
5280 ⁴	1,530	710	621	1,370	530	375	1,325	272	28	3
5425 ⁴	1,530	910	661	1,370	730	415	1,570	415	36	3
5535 ⁴	1,880	910	661	1,720	730	415	1,880	521	45	4
5780 ^{2,4}	1,880	1,260	661	1,720	1,080	415	2,380	771	70	4

¹ 45mm extra depth with handle and different locks. ² Double Doors ³ Doors open to 2050 ⁴ Doors open to 1700 • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

CASH SAFES & VAULTS UNDERFLOOR & DIY SAFES

Up to £10,000 Cash Rating*

Underfloor safes are designed for installation in a concrete style floor

The level of protection provided due to the nature of the installation & location possibilities is huge

Our DIY safe range is deemed suitable for installation with little or no specialist knowledge

Advice on the installation of this product will be provided at point of purchase

DIY RANGE:



£1,000

Secure storage for A4 papers, passports, insurance certificates or jewellery

Models to install in a timber floor or for surface mounting

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
Strongbox Extra Euro Profile Lock	130	400	235	12
Cupboard Safe Euro Profile Lock	130	350	235	12
Strongbox Extra	130	400	235	12.5



Cupboard Safe



Strongbox Extra Euro Profile Lock

HOUSESAFE RANGE:

Available in three models & secured with a high quality safe lock

Economic way of protecting cash, valuables & vital documents

Multiple locking options available



£3,000

Body & Door

Model	External Dimensions (mm)			Weight (kg)
	Height ¹	Width	Depth	
Housesafe Extra – Size 1	345	230	230	17
Housesafe Extra – Size 2	415	305	305	23
Housesafe Extra Deposit	415	305	305	24

¹Includes neck height of 100mm. • Aperture = 166 x 166mm.

*Insurance ratings may vary dependent on risk and location. Please check with your insurers.



Housesafe Extra Size 2

CASH SAFES & VAULTS

SAFEGUARD & PROTECTOR

PROTECTOR RANGE:

Available in five models with a choice of interchangeable doors covering 3 cash ratings

High level of security with interlocking bolts controlled by a key or keyless combination & anti-drill features

ABP models protect against thermal attack



Protector Body 2



Protector ABP Door



Protector – Bodies



Model	External Dimensions (mm)			Weight (kg)
	Height ¹	Width	Depth	
Protector 1	380	360	270	14.5
Protector 2	470	360	270	16.5
Protector 3 Deposit	470	360	270	18.5
Protector 4	560	360	270	18.5
Protector 5 Deposit	560	360	270	20.5

¹Includes neck height of 150mm. • Aperture = 227 x 180mm

Protector – Bodies

Model	External Dimensions (mm)			Weight (kg)	Cash Rating
	Height ¹	Width	Depth		
Protector Minor	–	247	200	7.5	£4,000
Protector	–	247	200	10.5	£6,000
Protector ABP ¹	–	247	200	11	£10,000

¹Extra Protection against attack with Oxy-Acetylene.

SAFEGUARD & SAFEGUARD PLUS:

Safeguard door thickness 13mm, Safeguard Plus door thickness 25mm

Drill resistant; Double bitted key lock

Stainless steel locking components

Multiple locking options available



Safeguard Body 2



Safeguard Plus Door



Up to
£6,000

Safeguard – Bodies

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
Safeguard 2	230	230	230	13
Safeguard 3	305	305	305	19
Safeguard 4D ¹	305	305	305	20

¹ Deposit model includes 12pcs deposit capsules

Safeguard – Doors

Model	External Dimensions (mm)		Weight (kg)	Cash Rating
	Diameter	Thickness		
Safeguard	175	13	5	£4,000
Safeguard Plus	175	25	7	£6,000

CASH SAFES & VAULTS - DEPOSIT SAFES

In most commercial environments there is a need for a deposit safe, somewhere where you can safely deposit items such as cash, keys & other valuables without the need for keys & codes to open the safe & without drawing attention to its existence

Securikey provides a wide range of quality deposit safes, with a variety of cash ratings & deposit methods, which offer total flexibility in the workplace



SCDR48

STEEL STOR:

SCDR48 offers a top loading rotary deposit drum with a 90mm x 250mm aperture

A spring return ensures the drum is always closed

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
SCDR48	480	320	320	42

COUNTER CASH

One lock secures to a base plate while a second allows access to stored notes

Dimensions ext 225 x 100 x 190mm

Multiple locking options available



Counter Cash

UNDERFLOOR SAFES:

See Pages 14 & 15

Ideal for use where space is at a premium

Deposit tube diameter is 52mm

Model	External Dimensions (mm)			Weight (kg)
	Height ¹	Width	Depth	
Housesafe Extra Deposit	415	305	305	24
Protector 3 Deposit Body	470	360	270	18.5
Protector 5 Deposit Body	560	360	270	20.5
Safeguard 4 Body	305	305	305	20

¹Includes neck.

CASH SAFES & VAULTS - DEPOSIT SAFES



Colour options available

MINI VAULT SILVER:
Ideal under desks or counters
Available with letter slot deposit (Mini Vault 1)
or front hopper deposit (Mini Vault 2)



Mini Vault 2 Deposit

Model	External Dimensions (mm)			Internal Dimensions (mm)			Aperture Size (mm)		Weight (kg)	Volume (l)
	Height	Width	Depth	Height	Width	Depth	Height	Width		
Mini Vault 1 Deposit	294	374	325	210	365	260	20	140	31	15
Mini Vault 2 Deposit	532	374	425	260	365	360	100	250	48	34

Deposit models and modifications can result in reduced cash ratings. Please check with your insurers.

Top Rotary Drum



Euro Grade Model	Aperture Size (mm)		
	Height	Width	Depth
Rotary Drum – Top	90	200	220
Rotary Deposit – Front	66	250	195



Front Rotary Deposit with Lockable Door

FIRE SAFES - FIRE STOR

£2,000 Cash Rating*

Our range of secure fire & burglary resistant storage cabinets are an affordable solution for the safekeeping of both valuables & documents

The cabinets are double-walled with a fire resistant barrier material to DIN 4102

The inclusion of this second level of protection gives these cabinets their fire resistance

In addition, they have undergone a burglary test & so are well suited to the storage of valuables up to the value of £20,000

Tested & certified to EN 14450 – S1

Double walled construction with fire resistant filling to DIN 4102

Each model is fitted as standard with five heavy-duty locking bolts secured on three sides & a VdS approved safe lock

Additional options include an internal lockable compartment (180mm high on single door version, 300mm high on the double door version), pull-out frames for drop files & additional shelves

Multiple locking options available



Fire Stor Range



1021



BC



£2,000



Light fire protection



Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Lever Arch Files ¹	Shelves
	Height	Width	Depth	Height	Width	Depth				
1023	860	600	520	690	490	405	95	137	12	1
1022	1,220	600	520	1,050	490	405	120	208	18	2
1021	1,580	600	520	1,410	490	405	145	280	24	3
1020	1,950	930	520	1,780	820	405	215	591	50	4
1024	1,950	1200	520	1,780	1,090	405	245	786	65	4

¹ Suggested capacities for Lever Arch files – 80mm width • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

FIRE SAFES - Master Lock® FIREPROOF CHESTS & FIRE RESISTANT FILING CABINETS



4-Drawer
Filing Cabinet

FIRE RESISTANT FILING CABINETS:

Designed for the safekeeping of paper files


Adjustable hanging rails accept all file sizes

Independently tested & certified

Drawers are mounted on a rugged suspension system

Flush handles to prevent injury

Easy to transport valuable documents



Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth ¹	
4-Drawer Filing Cabinet	1,406	528	675	266

Master Lock® FIREPROOF CHESTS:

Key lock prevents lid from opening in the event of fire

Features a carrying handle making it easy to transport valuable documents



Fire Chest Small



LFHW40102

Model	Product Codes	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Fire Test
		Height	Width	Depth	Height	Width	Depth			
Fire Chest Small	L1200	155	362	284	89	305	191	6	5	30mins
Fire Chest Medium ¹	LCHW20101	168	391	363	112	325	216	9.3	8	30mins
Fire Chest Large ¹	LCFW30100	193	419	375	136	321	232	14	10	60mins
Fire Chest X Large ¹	LFHW40102	359	421	351	295	305	206	18.6	19	30mins

¹ Water Resistant Construction

FIRE SAFES - Master Lock® DIGITAL

The perfect solution for storing important documents & valuables

The Master Lock® fireproof safes are UL classified & offer 60 minute protection at 927°C or 120 minute protection at 1010°C

All models are ETL verified, water resistant for 24 hours to a depth of 200mm & are able to be locked via a programmable digital keypad

Programmable digital lock with backlit keypad; UL classified fire protection

ETL water protection & verified impact resistance

Up to 6 large 25mm bolts providing advanced protection against theft

Steel construction for durable & reliable protection



1 Hour Digital
Fire Safe X Large



1 Hour Digital
Fire Safe XX Large



60mins
927°

Master Lock® Digital Fire Safes



120mins
1010°

Model	Product Codes	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Shelves	Fire Test
		Height	Width	Depth	Height	Width	Depth				
Digital Fire Safe Large	LFW 082FTC	348	415	491	244	319	292	36	23	1	60 mins
Digital Fire Safe X Large	LFW 123FTC	453	415	491	349	319	302	39	34	1	60 mins
Digital Fire Safe XX Large	LFW 205FYC	603	472	491	498	376	302	57	57	1	60 mins
Digital Fire Safe XX Large with alarm	LFW 205TWC	603	472	491	498	376	302	57	57	1	60 mins
Digital Fire Safe X Large	LTW 123GTC	453	415	491	349	319	302	58	34	1	120 mins
Digital Fire Safe XX Large	LTW 205GYC	603	472	491	498	376	302	79	57	1	120 mins

SECURITY CABINETS - MEDICAL STORAGE

Our range of Medical Storage Cabinets are designed using our extensive knowledge of the protection & control of cash & valuables

The 'Bronze Level' Medical Cabinet is suitable for storing general First Aid items, whilst the 'Silver & Gold' units are perfect for controlled drugs that are governed by the Home Office Drugs Inspectorate direction of control

Bronze level cabinet features: 1.5mm pressed steel construction with security cam lock, shelves & lockable inner compartment

Silver level cabinet features: 4mm body with 8mm anti-bludgeon door fitted with lever safe lock to EN 1300 & includes 2 shelves

Gold level body thickness: 3mm (Secure Stor) for added security

Features multi-point locking & adjustable shelves

Gold & Silver cabinets conform to the construction required for the Misuse of Drugs (Safe Custody) Regulation 1973



Medical Cabinet



Medicine Cabinet



Secure Stor SC050

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves	Door Boxes	Internal Lockable Compartment
	Height	Width	Depth ¹	Height	Width	Depth					
Medical Cabinet 1	350	300	120	—	—	—	4	—	2	—	—
Medical Cabinet 2	450	300	140	—	—	—	6	—	1	—	Yes
Medical Cabinet 3	550	380	205	—	—	—	11	—	2	—	Yes
Medicine Cabinet	532	374	230	522	354	165	38	30	2	—	—
Secure Stor SC050 ¹	430	446	364	377	430	305	35	49	1	—	—

¹ Alternative sizes available in both ranges, see page 32.

SECURITY CABINETS - SECURE STOR

£2,000 Cash Rating*

Secure Stor offers an economic solution to the ever increasing problem of safe storage of high value bulk items

Whilst built to the same exacting standards as the Euro Grade range, these units are tested to EN14450 S1 & certified by VdS in Germany

Manufactured with a 3mm solid steel body, with 3-way locking mechanism & VdS approved class 1 safe lock

The internal hinges allow the door to open 102°

Hardened steel plates protect all other areas prone to attack

Available in five sizes with an alternative electronic locking option, the cabinet is supplied with prepared base fixing points & shelves

Multiple locking options available

Deposit Options (see page 16)



SC050



SC155



Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
SC050	430	446	364	377	430	305	35	49	1
SC065	550	446	364	497	430	305	42	65	1
SC110	790	496	364	737	480	305	55	108	1
SC155	1,150	496	364	1,097	480	305	76	161	2
SC215	1,510	496	364	1,457	480	305	96	213	3

*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

SECURITY CABINETS - POST BOXES

HIGH SECURITY POST BOXES:

Our sleek, weatherproof High Security Post Boxes are available in two sizes & have been designed for outdoor environments to protect letters & small packets from theft

As part of our One Key Solution range, High Security Post Boxes offers the potential for integration with existing 'single key' systems, simplifying security & offering increased flexibility

1.5mm thick steel with Euro Profile locking

Top Loading Model	External Dimensions (mm)			Slot (mm)		Weight (kg)
	Height	Width	Depth	Width	Depth	
Medium Post Box	375	300	120	295	40	6
Large Post Box	550	380	140	375	40	10



High Security Range

STANDARD POST BOXES:

Utilising high grade steel, powder coating & high quality cam lock, these fabricated post boxes are built to the same exacting standards as our 'System' key cabinets


Available in two sizes with the option of front or top loading, both sizes will accept A4 comfortably

To avoid rattling in strong winds, noise dampening materials have been incorporated

Quality cam lock & powder coated to give years of service



High Quality Cam Lock



Euro Profile Cylinder Lock



Standard Front Loading



Standard Top Loading

Top Loading Model	External Dimensions (mm)			Slot (mm)		Weight (kg)
	Height	Width	Depth	Width	Depth	
Medium Post Box	365	270	110	245	36	2.5
Large Post Box	370	365	110	350	36	4.1
Front Loading Model						
Medium Post Box	365	250	110	210	36	2.5
Large Post Box	370	365	110	325	36	4.3

SECURITY CABINETS - FIELD SPORTS, GUNS & AMMUNITION

These Cabinets exceed the UK standard (BS 7558) for storing firearms & utilise 3-way 25mm locking bolts, secured by a single high security key lock to EN 1300

Concealed hinges & continuous hinge side protection offer superior resistance from attack

Multi point locking with 8-lever safe lock

These Taller/Gun Cabinets are supplied with a trigger lock to prevent unauthorised use of a firearm during transportation

The Smaller/Ammunition Cabinet is supplied with 2 shelves



Ammunition
Cabinet




Turnbull 1

Gun/Field Sports Cabinets

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Max. Capacity (Weapons)
	Height	Width	Depth ¹	Height	Width	Depth		
Turnbull 1 ¹	1,250	300	285	1,230	290	220	63	7
Turnbull 2 ¹	1,500	380	285	1,480	370	220	84	9
Ammunition Cabinet	532	374	230	522	354	165	38	—

¹ Includes a free gun trigger lock 90D for use during transportation
 • Turnbull 2 - 1,260mm to underside of fixed shelf



KB SECURE SOLUTIONS LTD
www.kbsecure.co.uk
01442 216866
sales@kbsecure.co.uk

